ARHIVA I.N.G.G. "ANA ASLAN". INSULA CRĂCIUNULUI, EMIRATELE ARABE UNITE, INSULA FIJI, REPUBLICA FORMOSA, HONG KONG (serie). PACIENȚI, MEDICI (sub-serie). DOSAR (C), DOSAR (G), DOSAR (M-S), DOSAR (C-W), DOSAR (A-S)

# INSULA CRĂCIUNULUI. PACIENȚI. DOSAR (C)

Documentele au primit număr de înregistrare INGGAA.

Conține scrisori din anul 1965.

Limbi: engleză, română.

Scrisorile sunt dactilografiate.

Hârtie de dimensiuni diferite.

#### Conținut:

Dosarul conține corespondență, solicitări de informații cu privire la tratamentele și produsele INGGAA, scheme de tratament, redirecționări de scrisori între Chimimport și INGGAA.

Scrisorile conțin adnotări în partea de sus, reprezentând rezumatul conținutului acestora și redirecționări în vederea răspunsului.

Scrisoarea de răspuns conține semnătura, în original, a prof. dr. Aslan.

# EMIRATELE ARABE UNITE. PACIENȚI. DOSAR (G)

Documentele au primit număr de înregistrare INGGAA.

Conține scrisori din anul 1975.

Limbi: engleză.

Scrisorile sunt dactilografiate.

Hârtie de dimensiuni diferite.

#### Continut:

Dosarul conține solicitări de informații cu privire la tratamentele și produsele INGGAA, scheme de tratament.

Scrisorile conțin adnotări în partea de sus, reprezentând rezumatul conținutului acestora.

Scrisoarea de răspuns conține semnătura, în original, a prof. dr. Aslan.

## INSULA FIJI. PACIENȚI. DOSAR (M-S)

Documentele au primit număr de înregistrare INGGAA.

Conține scrisori din decadele '60-'70.

Limbi: engleză, română.

Scrisorile sunt dactilografiate și manuscrise.

Hârtie de dimensiuni diferite.

#### Continut:

Dosarul conține solicitări de informații cu privire la tratamentele și produsele INGGAA, solicitări de produse INGGAA, redirecționări de scrisori între Chimimport și INGGAA.

Scrisorile conțin adnotări în partea de sus, reprezentând rezumatul conținutului acestora.

Scrisoarea de răspuns este semnată de un reprezentant INGGAA.

# REPUBLICA FORMOSA. PACIENŢI. DOSAR (C-W)

Documentele au primit număr de înregistrare INGGAA.

Conține scrisori din decada '60.

Limbi: engleză.

Scrisorile sunt dactilografiate și manuscrise.

Hârtie de dimensiuni diferite, 1 plic.

#### Continut:

Dosarul conține solicitări de informații cu privire la tratamentele și produsele INGGAA, scheme de tratament, solicitări de produse INGGAA.

Unele scrisori conțin adnotări în partea de sus, reprezentând rezumatul conținutului acestora.

Scrisorile de răspuns conțin semnătura, în original, a prof. dr. Aslan.

#### HONG KONG. MEDICI, PACIENTI. DOSAR (A-S)

Unele documente au primit număr de înregistrare INGGAA.

Contine scrisori din decadele '50-'70.

Limbi: engleză, română, franceză.

Documentele au fost ordonate alfabetic.

Scrisorile sunt manuscrise şi dactilografiate. Documentele sunt originale sau copii.

Majoritatea scrisorilor sunt grupate pe corespondența dintre medicul sau pacientul respectiv și INGGAA.

Hârtie de dimensiuni diferite, telegrame, 1 pliant de medicamente.

#### Continut:

Corespondență între medicii și pacienții din Hong Kong și prof.dr. Ana Aslan, ca reprezentant INGGAA. Conține și corespondență cu pacienți care nu lucrau în domeniul medical.

Redirecționări de scrisori între Ministerul Sănătății și Prevederilor Sociale și INGGAA, analize medicale.

Pacienții solicită informații și materiale informative referitoare la produsele medicale și la tratament, achiziționarea produselor INGGAA, scheme de tratament.

Scrisorile conțin adnotări în partea de sus, pe margine sau în subsol, reprezentând rezumatul conținutului acestora. O scrisoare are atașată traducerea.

Scrisorile de răspuns conțin semnătura, în original, a prof. dr. Aslan sau, în absența acesteia a reprezentanților INGGAA (semnătura directorului adjunct, dr. C. David).

Conține corespondența cu medicul F.T. Harrington, colonel, fost director de servicii medicale și inspector general.

Conține o vastă corespondență cu dl. W.K. Shang, de la societatea China Can Company, în calitate de pacient.

Conține corespondența cu International Co-operative Trading Society, Ltd., interesată de materiale bibliografice privind produsele institutului.

Conține corespondența cu Harry W. Heineken, consul american în Hong Kong, care dorea să se trateze în clinica INGGAA.

Conține corespondența cu Paul Lang, designer, care dorea să se trateze în clinica INGGAA.

CHRISTMAS

3333/1-VI

May 25th

genatues

Mr.Chow Hong Poh Christmas Island INDIAN OCEAN

Dear Sir,

Thank you for your letter and the kind appreciation of our work.

The treatment with Gerovital H3 can favourably influence your condition. Thanks to its eutrophic and vitamin-like action an improvement of the general condition is obtained; the capacity for physical and mental activity is also increased, whereas the feeling of sickness and fatigue is reduced.

In your case I would advise, as a beginning treatment threeccourses of injections with an intermission of 15 days between each course (a course consists of 12 injections). During those intermissions pills should be taken. 24 pills, two daily for a periode of 12 days. (2 hours before the main meals). Towards the end of the 3rd course kindly let us know the changes observed in your condition so that we may send you further prescriptions as concerns the continuation of the treatment.

I regret to be unable to give you any advise concerning your eyes without a medical report delivered by a specialist. During experiments carried out in our Institute with our drug favourable results have been found in degenerative conditions of the eye.

For your information I send you hereby a reprint and a circular letter in which you will be able to find some further details concerning our therapy.

I shall gladly answer any other questions or give you medical advise if required.

With best regards, I remain,

Yoursssincerely,

an

Prof. Anna Aslan, M.D., Sc.D. Director, Institute of Geriatrics Bucharest



# CHIMIMPORT

ENTREPRISE D'ETAT POUR LE COMMERCE EXTERIEUR

COMPTE: BANQUE D'ETAT DE LA R.P.R. TELEGR.: CHIMIMPORT, BUCAREST

MLEPHONE : 16.06.36 TELEX : 215

B. P.: 525 S. E. 1 CV/CHM Către

INSTITUTUL DE GERLATRIE

Loco

BUCAREST, 1e 25 iunie 1965 REPUBLIQUE POPULAIRE ROUMAINE BB. REPUBLICII 10

27549 +25. IUN 1965

Vă remitem în anexă scrisoarea dlui. Chow Hong Poh, cu rugămintea de a coresponda direct, fiind vorba de probleme medicale.

"CHIMIMPORT" ISCE

SEF SERVICIU, Farm. V. Velicu

SEF SERV. ADJ.,

Farm.P.Robos

Intr. de St. pentru Comerțul Exterior

Anexă

B. War sufere de value A-3333/65 Christmas Island, INDIAN OCEAN. 16th March, 1965. = 34:140 \* 29. MAR 1965 Line hill = 1 A Just Serve hill

Professor Ana Aslan, c/o Chiminport of Bucharest, 10, Boulevard Republicii, Bucharest,

Dear Professor Aslan,

erelly aus

I have recently read an article published in the Woman's Day Magazine of 23/11/64 describing your most wonderful formula called the H3 and both my wife and myself are deeply impressed by your marvellous discovery which is not only so essential to life but also a most useful asset to the whole world. I have no clue to your address and therefore forwarding this letter care of the above manufacturers of your tablets and injections, and hope this will find you.

I am attached to the administrative department of the island hospital and though the work is not very exhaustive, I often find that I am more or less totally exhausted at the end of the day after 8 hours. My age is only 41, whereas I note you are now 67 and working exceedingly hard at the rate of 10 hours a day plus the work you perform at home. I feel confident your miraculous drug will put new zest into me and with the improved vigour I shall certainly be able to press ahead with my part time correspondence course on Accountancy at a much faster rate and be able to pass examinations regularly in view of the more positive memory.

One other factor is I fully realize that all Doctors will want to see their patients prior to giving out prescriptions but being a wage earner I can never dream of coming to Rumania for this most beneficial purpose, so I thought it be a good idea to drop you a line perhaps you may be able to help me. In order to guide you in your diagnosis I enumerate here my past medical history as far as I could

remember 
The duck BERI BERI - Age 12

Owing to mulnutrition I was nearly sent to my grave

of security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from this disease. Had undergone prolonged medical treatment with inject
the Security from took me home and tried me on an unorthodox treatment (you may not believe) which brought me back to life. The treatment I received was simple and cheap. I was immediately discontinued from all foods containing starch including rice which is the staple diet for Chinese. In place of my daily meals was the concoction consisting of fresh pork (as little fat as possible), peanuts and garlic. This was cooked for several hours with salt added to taste. I had to take this for a fortnight until I was scared of the stuff and since it was a matter of life and death I did as I was told, but strangely enough, round about the 4th day on this treatment I found I could walk about at a short distance without being breathless, the swelling gradually subsided, seeing the quick result I stuck to this dish like a leech. By the end of the first/I knew I was going to live again. Then continued for a further week when I was completely cured.

## MIGRAINE since childhood

Severe attacks of this terrible migraine with a week, two weeks or months, until the age of 20 it disappeared for a period of 10 years than another severe attack on the day when my daughter was born, since then I had regular attacks until 10/3/1964 when a doctor put me on Avomine tablets; I tab. each morning for a whole year which I had just completed. I am fortunate that my good wife put the bottle of tablets on the breakfast table without fail. The doctor said this treatment is unofficial or in other words unorthodox but it looks this has done the trick. (Attacks accompanied by nausea and vomiting).

#### SINUS NUISANCE

The left side of my nose is usually blocked and uncomfortable and at times it gives me a cold in the head which is sometimes rather hard to bear. It was operated upon on two occasions at the General Hospital in Singapore in 1950 and 1957 but with not much of an improvement. My tonsils were also removed in 1950 which is successful.

#### EYES

My eyes have started to give trouble since 1962. The symptoms are each eye is attacked alternately and eye drops do not seem to help much. It will start with a pain just above the pupil, then an isolated dark red spot will appear and after about 24 hours or so the redness will spread over the whole eye when the pain is lessened. Aspirins or Codrals help to relieve the pain to a certain degree. The redness will gradually subside over a period of about 10 days. After 2 or 3 weeks of its recovery the other eye will start with the same symptoms but it does not affect the vision. My eyes were tested in Singapore in 1963 and glassess were prescribed for mild degree of short-sightedness. This helps with the vision but no relief to all the other symptoms.

The greatest worries I have now are my eyes, and always feeling under the weather which of course is a great hindrance to my studies. I am sorry to take up your precious time and would value very much your professional advice and treatment. I shall be most grateful to receive your treatment at the earliest possible date and please advise me the procedure in forwarding your fees etc. Enclose please find 3 International Coupons for reply postage. Many thanks for your assistance.

Yours sincerely,

(Mr.) CHOW Hong Poh.



# CHIMIMPORT

STATE ENTERPRISE FOR FOREIGN TRADE

ACCOUNT: STATE BANK OF THE R.P.R. CABLES: CHIMIMPORT BUCHAREST PHONE: 16.06.36 – TELEX: 215–184 P. O. B.: 525

S.E.1 TH/CHM Către
INSTITUTUL DE GERIATRIE
Loco

BUCHAREST, lo aprilie 1965
RUMANIAN PEOPLE'S REPUBLIC
Bd. REPUBLICI 10 580 + 12. APR 1965

# Ref .: Gerovital H3

Vă remitem în anexă următoarele scrisori:

Nr. 34.340 din 29.III.1965 - Mr. CHOW Hong Poh.

Nr. 39.318 din lo. IV. 1965 - Nazmiye Kalkan - Turcia

Nr. 37.532 din 6.IV.1965 - Dr. M. Eerdmans - Maastricht

Nr. 29.176 din 16.III.1965 - Mrs. G.M. Allen - Tasmania/Australi

cu rugămintea de a răspunde direct persoanelor respective.

"CHIMIMPORT" ISCE

SEF SERVICIU,

FARMACIST,

Anexe

66706 \* 18. IUN 1985

Christmas Island,
INDIAN OCEAN.
2nd June, 1965.

A A 3833/65

Professor Ana Aslan, c/o Chiminport of Bucharest, 10, Boulevard Republicii RUMANIA.

Dear Professor Aslan,

I wrote to you in the beginning of March this year after reading an interesting article on your wonderful formula H3 written by a journalist named Olga Franklin in the Woman's Day Magazine No. 414 dated 23/11/1964 but so far no reply has been received. There are two possibilities which I could think of, either it is travelling around the globe before it finally reaches you or it has been intercepted by the authorities at this end. It could not have gone astray as I sent it by registered air mail.

I am wondering whether the drugs mentioned as the "Tableta" and "Fiola" could be purchased from the above manufacturers or must such purchases be accompanied by a prescription from you. You may wish to know my medical history which I describe briefly as follows:-

- 1. My age is 41, father of 2 children ages 11 and 8. I am attached to a hospital on the administrative side. My life during my childhood was a miserable one as I came from a couple of poor and illiterate parents who had no idea how a child should be brought up, as a result I suffered serious illnesses, some of which I cannot recollect.
- 2. Around the age of 12 my life nearly ended from a serious case of beri beri which as far as I can remember was from the result of poor food given to me. I was fed for a considerable length of time on plain rice and chilly sauce, this was forced upon me by late guardian (female). The doctors announced my case as hopeless after lengthy treatment but however I was saved through a miracle cure otherwise grave was surely the place for me. The treatment I received was unorthodox. I had to refrain from all food which contains starch and was on a special diet for about a fortnight. This concoction consisted of fresh pork, peanuts and garlic boiled until tender and this was the only food for that period. I found a remarkable change after the first week.
- 3. From my very young days I used to suffer from serious attacks of migraine at regular intervals until the age of 20 with a break of 10 years or so then another attack on the 8/3/1954, the day my daughter was born and had regular attacks since. The last attack was on 10/3/64 when a Doctor who recommended a course of avomine tablets (seasick tablets) for a whole year which I started on 12/3/64 and completed on 11/3/65 with a tablet each day after breakfast. Thank goodness no attacks so far, I keep my fingers crossed while saying this.
- 4. Chronic blockage of my nose is another source of nuisance which was operated upon on two occasions at the General Hospital of Singapore in the years 1950 and 1957 but with not much of a success.
- 5. For the past couple of years my eyes are playing up in that they turn red in an isolated spot and after a while the redness spreads around the whole eye and each time it is accompanied by a dull pain and most uncomfortable. Each eye is attacked alternately with a space of weeks or a month but it does not seem to affect the vision but most annoying.

her county

Eyedrops is of not much help. A couple of Aspirin tablets do ease the pain to a certain extent.

6. After an 8-hour day I normally find that I have not much energy left to cope with anything that I may desire to carry out. Often feel tired and weary and under the weather.


If you don't mind I would also like to give you an account of my wife who is now 35. She has married me for the last 14 years and has had 3 children. The first one was a boy who only lived for about 3 hours, died of bleeding in the brain according to the Dr. What concerns me is that my wife does not seem to put on any weight and appears pale. She eats and sleeps well, so the question of food and rest could be ruled out. She has a white discharge from her vagina and sometimes quite profusely. She had consulted a gynaecologist who assured her there is nothing abnormal. Her breasts are almost completely collapsed and often feels tired and even with exercises such as gardening and walking don't seem to make any difference. Her menstrual cycle is irregular, ranging from 6 weeks to 2 months and happens rarely exactly 1 month. Each flow lasts about 7 - 10 days. Owing to the irregularity we resolve to the use of a male rubber sheath as a measure for contraception. During coition it is not a one-sided affair in other words most men are hasty and ignorant of the feelings of a woman, this I had learnt from sex books and from personal experience. As a husband, I always try and do my best in this respect and make sure she derives the necessary pleasure and reach the climax. Another factor is that our married life does not base on sexual activities alone. We always make mutual adjustments and live in harmony. Well, Professor Aslan, with all these factors in mind I am at a loss but I am sure your life saving drug H3 is the only answer.

I am sorry to write to you this lengthy letter and taking away your valuable time but I sincerely hope it will help in your provisional diagnosis. Many thanks for your help and look forward to your favourable reply at your early convenience.

When writing I suggest you quote the following address in order to avoid any foul play:-

Mr. Chow Hong Poh, c/o Miss Ow Fook Yoke, 172-B, Red Hill Close, SINGAPORE, 3.

Yours sincerely, ELought ongtoh.



IT - 6710

Dr. Yousry Gaffar P.O. Box 4253 Dubai UNITED ARAB EMIRATES

Dear Dr. Gaffar,

In answer to your letter I inform you that we have obtained some good results in incipient cases of Vitiligo. It is a long term treatment and it should be undergone according to the following schedule:

First a tolerance test - first day: I subcutaneous injection of 1 cmc; second day: I intramuscular injection of 2 cmc. If after this test you do not present any allergical phenomena, the treatment can be started as follows:

- One course of 12 injections (an intramuscular injection of 5 cmc, three times a week, every Monday, Wednesday and Friday).
  - Rest interval of two weeks after which:
- One course of 24 pills in 12 days (two a day, one pill taken two hours after the main meals).
- Rest interval of two weeks after which the treatment is continued by alternating courses of pills and courses of injections, with the prescribed rest interval between each separate course.

You may associate Gerovital H3 face-cream (see the enclosure)

Gerovital H3 should not be administered simultaneously with sulfonamides (inactivation). It should not be injected following previous administration of eserine or neostigmine.

If you have the possibility to come to us to undergo the treatment under our direct supervision, I send you enclosed herewith our conditions.

Yours sincerely,

Acad.Prof.Ana Aslan, M.D., D.Sc. General Director of The National Institute of Gerontology and Geriatrics



4th September

Dr. Ana Asslan Delvy-Nol Hospital North Effort Area Bokharest

while -

Dear Dr. Asslan,

I read some news about H4 in the Egyptian news-paper - "The News".

My complaint is Leucodermia (Vittelliga), scattered in different places, in my face, hands, legs, etc. from about twenty years ago. I was treated by many new drugs and slso by other more medical methods but no response at all.

I noticed that many new areas of discolouration appeared after every trial. This makes me to fall in psychological complex speciallymmy job is a Doctor (Specialist in Maternal & Child Welfare in Dubai, U.A.E.)

Can you guide me to the way of treatment by your new H4, Please to tell me how can I gain it, its use, its cost .... and so on. It is the last hope in drugs to me.

With my best wishes and many thanks for you.

Yours faithfully,


Dr. Yousry Gaffar P. O. Box 4253

Dubai

UNITED ARAB EMIRATES

Dr. yousey Goffar

Notice: Age 38 years, married and egyptian.




De Parific line ene 6187 6712/les Waidrann brann Estate
Wainenn Hjøf 60
Vanna Leve Fiji Isld
Profess,or itslan 90 London Daily mail Eligh bind madam I was very lucky in reading a news paper The Daily mail I think, but I was quite insterested in a paragraph in which you leatised in Look of 200 13 rilish doctors on your refluvena ling your Drug H3. Twas quit suprised that your H3 can grater black hair in the place of grey hair on a bald head just same oth othe young girl that of happen to read in the same paper. I also came across that you Drug H. 3 con make people younge 20. years.

May I have permission in asking you for your instructions I course how your H3 ) is being used. Will you let me know much you Drug H. B will cost as I am willing to Wave a try in your Doug H. 3. If there's ointment needled will you let me know also. Tousting in your Dong H. 3, of also for your nexply when time bornists Jour Truly. Arthur macauly mills Waids and drank totale Danna Levu. . Fiji Iskd Adress. P. G. Warnen. Katiwaga.
Vanna. Lever Feji Told.

Circ. + plant + adrese, Cere Gerevital CITY PHARMACY LIMITED 60 Cumming Street, Phone 26118 G.P.O. Box 689, Suva, Fiji. AHMED RAZA MERITERUL SALATATU Phc. M.P.S. (Tasmania & Gt Brit) institut qualitation a somniologie Branch:-09 21227.3.79 Varoka Pharmacy Ltd. M. HASAN Phc. M.P.S. (NZ) Box 140, Dear De ana Aslan, Tene has been fen peopler in quining about 9113. I home them and I believe is such a thing My it's tome unbal they say about it, then I would be interestrold i buying and selly you product. Would you please que a detail can purdose as to whow quantities and what ninimum bury) ility The Prices & dillerent packs shey in any Joons etc.

at rate for Air Mail Letters. this form will be surcharged If anything is enclosed, CORREO AEREO AIR MAIL Approved For Posting in New Zealand to Overseas Addresses New Zealand Post Office Authority No. 17 CITY PHARMACY LIMITED DRG KOZAZIO A Dickinson Robinson Group Product G.P.O. BOX 689 Z SUVA, FIJI. BUCHARES.

TO TAM



Mrs. Ruth Chen
No.42, Lane lo5
Liaoning Street
Taipei
Taiwan

4 January

7

Dear Mrs. Chen,

I have received your letter and thank you for your kind appreciation concerning our work.

Answering your question I inform you that the treatment with Gerovital H3 has given favourable results in falling of the hair and insomnia as well. In a great number of cases similar to yours lafter asprolonged treatment with our drug the trophicity of the hair has been improved, growth has been stimulated and repigmentation has been induced. I would suggest in yourncase 6 courses of injections yearly (a course is compound of 12 injections) with a break of 51-30 days between each course of injections.

As regards the way of obtaining our drug see enclosure.

Should you wish to have further details please write again I would gladly answer any questions in this respect.

With best wishes, I remain,

Yours sincerely,

Prof. Anna Aslan, M.D., D.Sc. Director, Bucharest Institute of

Geriatrics.

A,-3979/63

t 50 acribaderec paralei

> Dr. Anna Iceland Institute 1 de Geriatrie Bucharest, Romania

Dear Dr. Iceland,

By reading a translated article in Chinese on our evening newspaper in Taiwan, I was overwhelmed with surprise by your amazing invention, H 3, restoring youth to the old people.

No. 42, Lane 105 Liaoning Street Taipei, Taiwan 21 November 1963


As mentioned in the article, anyone who needs help may correspond with you for instructions. I hereby take the opportunity of your generosity and kindness by writing to you for help. As the aricle is in Chinese, I might promounce your name incorrect, please forgive me for my mistake. I am at the age of fifty and resided in Taiwan, Formosa. For the past couple of years, my hair had fallen off abundantly and turned gray rapidly. I often suffered from sleepless nights (average about 4-5 heurs) for many many years. Besides the above, my health is considered quite normal. I have consulted doctors for physical check-up and I was told that I am a little anaemic, but nothing is very wrong. From reading the article, I believe that your invention, H 3, would help my case to a great extend, if only I should be fortunate enough to be given your help. Due to many obstacles from allowing me to consult you in person, I should appreciate it so much if you would kindly favor me your prescription by reply.

Thank you in anticipation,

I remain,

Yours very sincerely,

(Mrs. Ruth Chen)



Chiu F- Inpertensione & Till de cient -A1-2507/64 ine. 4-111 No. 4, Lane 10, 86 Shiang dung Chuan Street Taiper, Taiwan Dear Doctor; Will you kindly send me your H.3, I shall be groteful to you. I got high blood pressure and heard trouble for a long time. awaiting your reply Sincerely yours, (miss) Isan-Chi Chiu

A1-4194 lis/

Mr. C.T. Lee

New Taiwan Spinning Co.Ltd. 72 Hwai Ning Street
Taipei-Formosa
Rep.of China

January

Dear Sir.

I have received your letter of November 20th 1963 and answering your questions I am sending you herewith the requested information.

The drug Gerovital H3 is available in pills and injections as well. It can be obtained directly through the Rumanian exporters CHIMIMPORT, Bld.Republicii nr.lo, Bucharest or through the distributors abroad (see enclosure)

Should you wish further details I shall gladly answer any question in this respect.

Yours sincerely.

Prof. Anna Aslan, M.D., D.Sc. Director, Bucharest Institute of Geriatrics 3

Mr. C.T. Lee New Taiwan Spinning Co, Ltd A1-4194/63 72, Hwai Ning street November 20, 1963 Taipei, Formosa Rep. of Chilorof. Anna Islan Dear Sir, Having learned from the English Digest, Oct. issue, that you have developed a sort of new drug, namely H3, which has reju-Venated a number of people who have been injected with this medicine, I take the liberty of writing this letter to you. I am Kery much interested in this news. Would you kindly tell me where can I obtain the above mentioned drug? Can we purchase it from any store or fratory? As the drug made in pill or in the form of liquid for injection? Thanking for your kind refly Sincerely yours de

Junile Fidge

LJ.

Nr.7720

Mr. K.B.Singh O.B.E.J.P. P.O.Box 68, Nausori, FIJI ISLANDS

Dear Mr. Singh,

In answer to your letter of September 7th, sent to Chimimport-Export, I inform you that you could not notice an improvement of your condition only after 25 injections. You should continue the treatment and it would be better to associate it with Gerovital face-cream according to the enclosed indications.

Awaiting with interest further news from you, I remain with my kindest regards,

Yours sincerely,

Acad. Prof. Ana Aslan, M.D., D.Sc.

P.O.Box 68. 21-13 . 14 SEP 1976 Nausori, FIJI ISLANDS.

7th September, 1976.

MINISTERUL SANATATO

institutui National do Gerontologie

M/S Chimimport Export, Foreign Trade Company, Post Box 525, Bucharest ( Romania)

Dear Sirs.

I have been in receipt fo the two parcely sent by you. 2 vials in the package of 25 vials were found broken. The rest of the vials and the tablest were in good condition.

Could you kindly let me know how long the injections should be continued to cure dystrophies of the skin, psoriosis etc: The 25 vials do not seem to have favourable effect as yet although they show symptoms of good energy in the body.

Upon receipt of your reply, I propose to send more money as it may be advised by you.

Jov. Frutinera

Could you kindly also let me know if you have got any agent 2. to supply this medicine in U.S.A.

Thanking you very much.

Yours faithfully

K.B.Singh O.B.E.J.P.

K. BS



M/S Chimimport Export,

Foreign Trade Company,

Post Box 525,

Bucharest (Romania)

COUNTRY OF DESTINATION

NAME AND ADDRESS

Mr. K.B. Sinda, O.B.E., J.P.

TO OPEN SLIT HERE FIRST



36023 #20 SEP 19



14116/LF/SA

SECTORUL 4

20.09.76

INTREPRIELES 1645.80

TELEX: 184, 185
CASTAL POSTAL OF CATTE,

INTREPRINDERE DE COMERTMENTERIORA ATO

institutul Național de Gerontologic
și Geriatrio

INTRARE Nr. 12133

INSTITUTUL NATIONAL DE GERIATRIE SI GERONTOLOGIE BUCURESTI

Str.Mînăstirea Căldăruşani No.9

Vă remitem anexat scrisoarea d-lui K.B.Sing din Fiji Islands cu rugămintea de a răspunde direct problemelor de natură medicală ridicate, aspectul comercial fiind tratat de Chimimportexport.

Vă mulțumim pentru colaborare. Cu stimă.

CHIMIMPORTEXPORT

"CHIMII

SEF SERVICIU

REFERENT

L.Fântâner

reprindere omert Exterior

196

Director: Prof. Dr. Anna Aslan

Mr. William Y.C. Wang P.O.Box 903 Taipei, Taiwan (Formosa) Free China

Dear Sir Madam,

We have received your letter and thank you for your interest concerning our work. The great number of letters we have recently received prevents us from answering each particular case and we therefore give you the following general information:

- 1) Our product is a 2% solution of Procaine, pH 3.3—4, buffered and stabilized according to our own procedure, which is the object of a registered trade mark, under the name of "GEROVITAL H3".
- 2) Treatment with "Gerovital H3" is indicated in phenomena of ageing and in the prophylaxis of old age. It is also efficient in the following affections: cerebral and peripheral arteriosclerosis (arteritis); Parkinson's disease; vasospasm, angina pectoris (sequelae of myocardial infarction); post hemiplegic sequelae; degenerative rheumatism (arthrosis); neuritis; neuralgia; trophic disorders; dystrophies of the skin, nails and hair (neurodermitis, eczema, alopecia, psoriasis, vitiligo); scleroderma; bronchial asthma; gastric and duodenal ulcer.
- 3) Contraindications: allergia specific to Procaine (a test is always carried out before the treatment).
- 4) The treatment is administered according to the indications included herein.

  In the preventive treatment of old-age starting from the age age of 45 the interruption periods between the courses of injections will be of 1 or 2 months. (Four or five courses should be administered during one year).

  In curative treatments, interruption periods of ten days should be observed between each course of injections. (Eight to nine courses per year).

  In arteritis and arthrosis, the drug can be administered by intra-arterial injections. In ulcer, asthma and vasospasm, by way of very slow intravenous injections of one ampoule daily (two to three courses with a week's stop between each course).
- 5) "Gerovital H3" is now exported to different countries. You can obtain supplies directly from the Rumanian exporters CHIMIMPORT, 12 strada Doamnei, Bucharest.

  We shall be glad to give you any further information or whatever advice you might require.

Yours sincerely,

Prof. Dr. ANNA ASLAN

Je boarn - Renustris m.

William Enterprises, Limited

CABLE ADDRESS WILLIAMCO

P. O. BOX 903
TAIPEI TAIWAN CHINA

November 29, 1963

A1-4019 63

Luc U—加偉林企業有限公司

TELEPHONE 53353
49619

Institu. l de Geriatrie B U C H A R E S T Romania

Dear Proffesor:

I read a Chinese article in our daily news paper which reports that you are well study of H3 for the aged people and you are very kind to give your description of such H3 free to any body.

I am 60 years old, I donot feel old but since this year I am very easy to get tire and may be the rheumatism hurt my neck very much. I hope that you will be kind eough enough to let me have a chance to your H3.

As you know, the translated article printed in the Chinese papers may mis-interruptted and I worry the address may not right. It will be a great pleasure if this letter will reach to you.

I would like to thank you in advance for your kind reply, dear Proffesor,


William Y.C. Wang

Sincerely yours

P.O. Box 903

Taipei, Taiwan (Formosa)

Free China





HONG

1022

# K. V. I. ANDERSEN,

(PH, C.—N.D.)

OSTEOPATH-CHIROPRACTOR

60 KIMBERLEY ROAD, GROUND FLOOR

TELEPHONE 50377

KOWLOON

une --

HONG KONG. April I2, 1959.

Proffessor Anna Aslan. Institute of Geriatrics Bucharest, Rumania.

Dear Professor:

I have read with interest and enthusiams the glowing articles written about your discovery, treatments and result of your H.3, preparation. I am appealing to you for information regarding a patient of mine. He is not only a patient, but a very dear friend.

He is a man of 52 years of age. Some 6 years ago, he started to have pains in his left knee. This pain eventually spread and caused semi-paralisis of his left side. Eventually his condition was diagnosed as progessive muscular athropy and was informed that, so far, no known cure was known. I have treated him for the past two years, but all my effords have been in vain. At the moment he is completely helpless and his speach is affected to that exstend that it is nearly impossible to understand him.

If, in your opinion, acource of H.3 could have beneficial results, I would be very gratefull to hear from you as soon as possible. If supplies could be sent me by Air-mail, will you please let me know the cost and in which currency payment would be preferred.

My most sincere thanks for your early reply.

andersers

Sincerely yours,

K.V.I. Andersen.

K.VI. ANDERSEN, Ph. c-N.D.
OS EOPATH-CHIROPRACTOR
60, Kunberley Read, Ground Floor
TEL 61642
KOWLOON, HONG KONG

July 8, 1959.

Professor Anna Aslan.
Institute of Geriatrics,
Bucharest,
Rumania.

Dear Professor:


In writing this letter, it will be the third I have sent you, please do not let me write in vain. For humanitarian sake, will you please let me know if your preperation (H3) could be of any benefit for a very dear freind of mine who is in the extreeme state of muscular atrophy.

I will be most gratefull for your early reply.

Sincerely yours,

O. v. G. audersen

K.V.I. Andersen.



KOWLOON, HONGKONG TEL 61642

ENCLOSURE; IF IT DOES IT WILL BE SURCHARGED AN AIR LETTER SHOULD NOT CONTAIN ANY OR SENT BY ORDINARY MAIL. K.V.I. ANDERSEN, Ph. c-N.D.
OSTEOPATH-CHIROFRACTOR
60, Kimberley Read, Ground Fieer
TEL. 61642
KOWLOON, HONGKONG

1548-1022

Hongkong May 5, 1959.

Professor Anna Aslan.
Institute of Geriatrics
Bucharest,
Rumania.

#### Dear Professor:

I do hope you will pardon me for intruding on your valuable time again. In my previous letter which I sent you on April I2th, I explained that I had a clients and a very dear friend undergoing treatment for "Progressive muscular atrophy" Despite 5 years of medical and physical treatment, his condition is deterioating. He is completely paralysed and his speech is nearly lost.


Although, I fully realize that you must be flooded with letters like mine and, also I could hardly expect a reply within the time; however, for the last week he have asked me daily if there is any news, this have prompted me to write you once more.

I do hope dear Professor, that I may have your reply and possible remedies before it is too late.

Thanking you most sincerely for your early reply.

Yours sincerely,

K.V.I. Andersen.



MINISTERUL PREVEDERILOR SOCIALE INSTITUTUL DE GERIATRIE "PROF. DR. C. I. PARHON" BUCURESTI STR. M. CĂLDĂRUSANI Nr. 9 TEL. 7.24.41

Mr.W.V.I.Andersen, Ph.c-ND 60, Kimberley Road Ground Floor Kowloon - Hongkong

August 21 1959

Dear Mr. Andersen,

I have received your letter of July 8 and apologise for answering late as I have been away from Bucharest during the past weeks. Unfortunately, your previos letters must have gone astray since I did not receeve them.

In answer to your question, I wish to inform you that we have obtained certain favourable results in cases of muscular atrophy General improvement has been achieved after a prolonged treatment. It would however be necessary to let us have further details or a medical report.

I consider the treatment could be undertaken, in view of improving the general condition of the patient. It should be done under medical care and your friend's physician can contact me directly for any necessary information.

"Gerovital Ha" is now exported to different countries and information as to the possibility of obtaining supplies can be given by: Messrs. R.E.Franz Ltd., Hanover House, 73 High Holborn, London WC 1 - who are acting as representatives of the product for Great Britain and the Commonwealth - or by : "CHIMIMPORT", 12 Strada Doamnei, Bucharest - who are handling the sale of the product abroad.

A quantity of 36 ampoules should first be secured, for the first three series of 12 injections each, and arangements made for regular supplies, every three months.

Please let me know if it is arranged for the treatment to be undertaken. I will be glad to give any advice which might be needed.

Yours sincerely,

Prof. Dr. Anna Aslan

Dr. Chen Teh Ching
c/o Nr. Chung Thon Hong Dn. S. C. CHENG
Jervois Street # 91 2/7 BANK OF CANTO
Hongkong
BLDG.
HONG KONG

Prof. Anna Aslan Bucharest Institute of Geronlology Bucharest, Rumania

October 13, 1958

Dear Professor:

It is a great pleasure to have read from the Roche Courier Vol. X No. 8, 1957, about your advocation by procaine therapy on the aged patients and its significant results.

Unfortunately I know very few about the mechanism of this procaine therapy, and the further clinical developments since then. Although I have tried it to trat my patients as therapeutic or prophylactic measures.

May I request you to send me all the latest available literatures. Thank you very much.

Restpectfully yours,

Chen Jeh Ching, M. D.

Dr.Chen Teh Ching 217 Bank of Canton Bldg. Hong Kong

heeste

Your letter of October 13, 1958

8024 November 18 1968

Dear Doctor Cheng,

I have received your letter and wish to express my thanks for your interest concerning our researches.

Our procaine therapy is used for the treatment of old age and its prophylaxy. It has been proved that novocain (procain) has an eutrophic and rejuvenating action and that it is effective in a series of diseases such as: arteriosclerosis, cerebral sclerosis, arthrosis, arteritis, arthritis, degenerative rheumatism, disturbances of the nervous system, certain skin diseases (vitiligo, psoriasis) alopecia, gastric and duodenal ulcers, and others.

I am sending you particulars for the treatment. In Rumania, we use our product named substance H3, which is at present for sale only in our country but which shall soon be available in other countries as well. A 2 percent solution of procaine can be used as a satisfactory substitute, with nearly similar results.

I am also including a reprint and a list of recent publications where other details can be found.

Should you require further information, do not fail to write. If you decide to apply the treatment, I would appreciated your observations and a report about the cases' progress.

With kindes regards, I remain,

Sincerely yours,

Prof. Dr. Anna Aslan
Director of the "C.I.Parhon"Institute
of Geriatrics

T.T. Harring to Miziharat"

Mui Wo,

Lantao Island,

HONG KONG.

April 20th

Dear Doctor Aslan,

I do hope that my letter will reach you safely in spite of the inadequacy of the address.

wister

I am extremely interested in the treatment by Substance H.3 and am most anxious to obtain a supply for my use and investigations.

I believe it would prove of great help here in the Far East and I should be most obliged to you if you could let me have any available literature on its uses and arrange for me to receive a supply or let me know by what means a supply could be sent to me.

Could you also let me know to what extent ifany, anaphalaxis may occur.

With best wishes,

Yours very truly,

(Col. F. T. Harrington. I.M.S.)

ex Director of Medical Services and Inspector-General.



Bucharest, May 19.1959

6673

Dear Colonel Harrington,

I have received your letter of April 20, and wish to express my thanks for your interest concerning our work.

In answer to your request, I inform you that substance H3 has been produced on an industrial scale under the name of "Gerovital-H3" and its sale is handled by "Chimimport", Strada Doamnei 12, Bucharest, who could send out supplies, on payment.

Full information concerning the researches carried out by our Institute together with a description of the treatment and of its results can be found in "Research on Novocain Therapy in Old Age", a collection of reports and articles translated into English and published by: Consultants Bureau, 227 West 17th Street, New York 11, N.Y., USAr I also inchange godithate our publications.

Your very truly,

Prof.Dr.Anna Aslan
Director of the "C.I. arhon" Institute
of Geriatrics

1127

J. J. KOPPES
M. D. (Buc) L.R.C.P. (EDIN)
L.R.C.S. (EDIN) L.R.F.P.S. (GLASG)

MEDICAL ADVISER
ROYAL INTEROCEAN LINES
INTEROCEAN HOUSE JAVA Rd.
HONG KONG

DATE 28 Aprilie I959

medie

Doamnei Prof. Dr Anna Aslan
Institutul Geriatric
Bucuresti
R.P.R.

Stimata Doamna Profesor,

In ultima vreme am cetit diferite articole in ziarele olandeze si englezesti asupra lucrarilor dumneavoastra cu H.3.

Ca medic- si fost student al Facultati din Bucuresti - sunt interesat in a cunoaste mai multe detali stiintifice asupra acestui preparat.

V'asi fi recunoscator daca ati voii sa-mi trimeteti o publicatie sau brosura asupra acestui subiect si infomatii asupra modului in care asi putea capata acest preparat.

Multumindu-va anticipat, va rog sa primiti doamna, salutarile mele colegiale,

S Moth

București, 19 mai 1959

6676

A.all

Stimate Domnule Doctor,

Am primit scrisoarea Dv. și țin să vă mulțumesc pentru interesul ce-l arătați pentru cercetările noastre.

Vă trimit alăturat o listă bibliografică a publicațiilor noastre, în care puteți găsi toate datele asupra cercetărilor efectuate de Institutul de Geriatrie, precum și descrierea tratamentului și rezultatele obținute.

Substanța H3 a fost de curînd industrializată sub denumirea de "Gerovital-H3" și de exportul său se ocupă "Chimimport". Strada Doamnei 12, București.

In cazul cîn care ați avea nevoie de informații suplimentare aș răspunde cu plăcere la întrebările Dumneavoastră.

Cu salutări colegiale.

Prof.Dr. Ana Aslan Director al Institutului de Geriatrie "C.I.Parhon" Anf.

4090

Mr. S.W. Lee 2205-6, Melbourne Plaza, 33, Queen's Road C., 22nd Floor HONG KONG

Dear Mr. Lee,

Thank you for the particulars you sent. I advise you to undergo the treatment by alternating courses of injections and courses of pills according to the schedule enclosed herewith. The same schedule is indicated in your wife's case.

For your falling hair it is advisable to use Gerovital H3 hair lotion. As the compound contains proceine as well as other active substances, a tolerance test must be carried out preventively: Soak a small wad of cotton-wool in 1 gram of lotion and apply on a small surface (1/2 sq.in.) behind the ear or on the forearm. If no irritation of the skin occurs in 24 hours, 2 to 3 grams of lotion will be applied again on a surface of 2 sq.in. at the hair roots on the temple. After 48 hours, if the product has been well tolerated the treatment can be started as follows:


Soak a small wad of cotton-wool in 5 ml. lotion (teaspoon-ful) and massage at the bair-roots for 5 minutes. Repeat every other day. Wash hair once a week with sulphur and tar soap.

Should a skin reaction occur during the treatment, this will have to be discontinued until the advice of a specialist.

Hoping that you will keep us informed about your wife's further condition and yours, I remain with my best regards,

Yours sincerely,

Acad. Prof. Ana Asland M.D., D.So.



2205.6, MELBOURNE PLAZA.

33. QUEEN'S ROAD C., 22ND FLOOR.

HONG KONG

TEL. 5-221191-2

Institutul de Gerieu Bunracti
Instrumente Mr. 4090
Anul Luna 13 / In 1744

The Boths

February 25, 1974.

Dr. Ana Aslan, M.D., D.Sc. Str. Minastirea Caldarusani, 9, Sector 8, Casuta Postala 2009 Bucuresti, Romania.

Dear Dr. Aslan:

I wish to thank you kindly for your letter of January 22, 1974, ref. No. 1242, concerning Gerovital H3 treatment.

As suggested, I am giving below the following particulars:-

Age : 57 ( Dec. 1916)
Sex : Male

Attached are (a) Victory Medical Laboratory report of Sep. 13, 1973; (b) Victory Medical Laboratory report of Oct. 1, 1973.

I also wish to report to you the following for your consideration of treatment:

(1) I easily get tired;

(2) Sometimes I encountered bleeding from teeth gums;

(3) I sometimes feel stiff at shoulders and back;

(4) Falling hair.

Please also advise me to whom the remittance is to be made for the cost of the complete treatment, which I understood is US\$48.00 for a complete treatment for a person for a year's vials and drugs, and the cost of airfreight charge is US\$25.00 good for about 5 treatments.

Thanking you,

Encls.

Very truly yours,

S. W. Le

P.S. May wife Nancie Lee (Born 1992) feels tired very easily, has quick tempor and gets argue quickly sols also feels stiff at shoulders and neck, she wants to have a year's vials and drives to prevent getting old. (endozed an old blood test report.)

EXANDRA HOUSE DES VOEUX ROAD, C. HONG KONG

## 所驗化學醫利勝 VICTORY MEDICAL LABORATORY

二〇四二 九 世 中 四二章

TO DR. 醫師 Received on 13 SEP 1973 Reported on 13 SEP 1973 Name Mr. S. W. Lee Age Sex Sugar, Cholesterol, Uric acid, Bilirubin Specimen Blood Alk. phosphatase, SGO-T, SGr-T, T. T. T. (32 hrs. after meal) & A/G ratio BLOOD CHEMISTRY

| CONSTITUENTS   | NORMAL VALUES<br>(mg. per 100 ml. for adults,<br>unless otherwise stated)            | RESULTS  |
|--|--|--|
| Glucose (true)   | 65 – 100   | 73 mg. / 100 ml.   |
| Cholesterol, total   | 140 – 250  |  |
| Cholesterol, esters  | 65 – 75% of total  | 201 mg. / 100 ml.  |
| Nonprotein nitrogen  | 25 - 35  | VALUE OF THE PROPERTY OF THE P |
| Creatinine   | 1-2  |  |
| Urea   | 20 - 35  |  |
| Uric acid  | 2.5 - 6.0  |  |
| Bilirubin, total   | . 0.2 - 1.0  | 4.6 mg. / 100 ml.  |
| Phosphatase, alkaline  | 5-13 King-Armstrong units  | 0.2 mg. / 100 ml.  |
| Phosphatase, acid  | 1-3 King-Armstrong units   | 5.1 K-A units  |
| Transaminase, SGO-T  |  |  |
| Fransaminase, SGP-T  |  | 23 units / ml.   |
| Thymol turbidity test  | and dints / Illi,  | 18 units / ml.   |
| Protein, total   | 6.0 – 8.0 gm   | 3.5 Maclagan units   |
| Albumin  | 3.6 – 5.6 gm.  |  |
| Globulin   | 1.3 – 3.2 gm.  | 3.9 gm. / 100 ml.  |
| A/G ratio  |  | 3.6 gm. / 100 ml.  |
| odium  | 1.5 - 3.0 : 1  | 1.08:1   |
| otassium ·   | 135-152 mEq./L. (310-349 mg.%)   |  |
| The state of the s | 4.1-5.6 mEq./L. (16-22 mg.%)   |  |
| hloride (as NaC1)  | 99-112 mEq./L. (570-620 mg.%)  |  |
| icarbonate   | 23-33 mEq./L.  |  |
| alcium   | Adult: 4.5 - 5.5 mEq./L. (9 11 mg.%)<br>Infant: 5,1 - 6.0 mEq./L. (10 - 12 mg %)     |  |
| nosphorus (inorganic)  | Adult: 1.5 - 2.3 mEq./L. (2.6 - 4 mg.%)<br>Child: 2.3 - 4.1 mEq./L. (4.0 - 7.0 mg.%) |  |
| nylase   | 60 – 160 Somogyi units   |  |
|  | · · · · · · · · · · · · · · · · · · ·  | Charles and the second   |

Report of Cephalin cholesterol flocculation will be forwarded in due course.

Signed

This report is only intended for the doctor's reference. V.M.L. Form 5

W.H. 7-71 5000

ROOMS 540/542
ALEXANDRA HOUSE
DES VOEUX ROAD, C.
HONG KONG
TEL. 232044

### 所 驗 化 學 醫 利 勝 VICTORY MEDICAL LABORATORY

应的:二三二○四四 在四○一五四二宝 成六 模 六 模

|          | TC        | DR.      |        | 醫                 | 師       |              |
|----------|-----------|----------|--------|-------------------|---------|--------------|
| Lab. No  | 632647    | Received | on     | -1 OCL 19/3 Repor | rted on | -1 OCT. 1973 |
| Name     | Mr. S. W. |          | •      | Age               | Sex     |              |
| Specimen | Blood     | Fo       | r Urea | & A/G ratio       |         |              |

#### BLOOD CHEMISTRY

| CONSTITUENTS           | NORMAL VALUES<br>(mg. per 100 ml. for adults,<br>unless otherwise stated)            | RESULTS  |
|------------------------|--|--|
| Glucose (true)         | 65 – 100   |  |
| Cholesterol, total     | 140 – 250  |  |
| Cholesterol, esters    | 65 - 75% of total  |  |
| Nonprotein nitrogen    | 25 - 35  |  |
| Creatinine             | 1-2  |  |
| Urea                   | 20 - 35  | 24 mg. / 100 ml.   |
| Uric acid ·            | 2.5 - 6.0  | 18世紀19年18日本日本の大学   |
| Bilirubin, total       | 0.2 - 1,0  | STATES SERVICE STATE   |
| Phosphatase, alkaline  | 5 - 13 King-Armstrong units  | Hard Control of the C |
| Phosphatase, acid      | 13 King-Armstrong units  |  |
| Transaminase, SGO-T    | 8-40 Karmen units / ml.  |  |
| Transaminase, SGP-T    | 5 - 35 Karmen units / ml.  |  |
| Thymol turbidity test  | 0-5 Maclagan units   |  |
| Protein, total         | 6.0 - 8.0 gm   |  |
| Albumin                | 3.6 – 5.6 gm.  | 3.7 gm. / 100 ml.  |
| Globulin               | 1.3 – 3.2 gm.  | 3.4 gm. / 100 ml.  |
| A/G ratio              | 1.5 - 3.0 : 1  | 1.08:1   |
| Sodium                 | 135-152 mEq./L. (310-349 mg.%)   |  |
| Potassium              | 4.1-5.6 mEq./L. (16-22 mg.%)   | Caratterine Contract of the second   |
| Chloride (as NaC1)     | 99-112 mEq./L. (570-620 mg.%)  |  |
| Bicarbonate            | 23 - 33 mEq./L.  |  |
| Calcium                | Adult: 4.5 - 5.5 mEq./L. (9 11 mg.%)<br>Infant: 5.1 - 6.0 mEq./L. (10 - 12 mg %)     | BOAD OF STREET   |
| Phosphorus (inorganic) | Adult: 1.5 - 2.3 mEq./L. (2.6 - 4 mg.%)<br>Child: 2.3 - 4.1 mEq./L. (4.0 - 7.0 mg.%) |  |
| Amylase                | 60 – 160 Somogyi units   |  |
| DESCRIPTION OF STANK   |  |  |

· Signed

MEDICAL TECHNOLOGIST

This report is only intended for the doctor's reference.

V.M.L. Form 5 W.H. 7-71 5000

| D Ti | ame   | 1   | H. 大大     | 字龄<br>Age     | ONG S CHEMICAL O-pat | REQUEST | CORI<br>& Ri<br>& 就<br>Ward | UM & HOSI<br>PORT SHEET. |      | AL                        | b. Ref. N<br>1 秒 都 就<br>O.P.D. N | 66<br>tt  |       |
|------|---|-----|-----------|---------------|----------------------|---------|-----------------------------|--------------------------|------|---------------------------|----------------------------------|-----------|-------|
|      | ease tick V which   |     |           |               | Ordi                 | inaçy   |                             | 繁息與何<br>rgent & Time R   |      | 奏 報<br>ort Requir         |                                  |           |       |
| Date | Estimation of   | 1   | In        | Report        | Normal               | Sig.    | Date                        | Estimation of            | UK   | 1                         |                                  | 1         | I 0:  |
|      | Amino-Acid N.   | B   | mgm/100cc | ricport       |                      | Sig.    | Date                        |                          | 1    | In                        | Report                           | Normal    | Sig.  |
|      | Amylase   | P   | Unit/100  |               | 3-8                  |         |                             | Phosphorus (Total)       | В    | mgm/100cc                 |                                  | 28-48     | 1     |
|      | Bicarbonate   | P   | m/Eq.     |               | 71-209               |         | 1                           | " (Acid Soluble)         | 133  |                           |                                  | 16-34     |       |
|      | Bilirubin   | 100 | mgm/100cc |               | 24-32<br>0.1-0.8     |         |                             | Phosphates-Inorganic     | 1300 | " "                       |                                  | 3-5       |       |
|      | B.S.P.  |     | %         |               | Nil in hr            | ****    | No.                         | " Esters                 | B    | 1                         |                                  | 14-29     |       |
|      | Calcium   | S   | mgm/100cc |               | 9-11                 |         | la fine                     | " Lipid                  | P    | "                         |                                  | 3-14      | 1 2 2 |
|      |   |     | m/Equiv.  | <b>表:黎</b> 斯· | 4-5-5.5              |         |                             | Potassium (as K)         | S    |                           |                                  | 16-20     |       |
|      | Chlorides (as NaCl)                                       | В   | mgm/100cc |               | 437-527              |         | 1                           | " "                      | S    | m/Equiv.                  |                                  | 4.1-5.6   | -4    |
|      | " (as Cl)   | В   | "         |               | 270-320              |         |                             | Plasma P. (Total)        | SorI | THE STATE OF THE STATE OF |                                  | 6.0-8.5   |       |
|      |   |     | m/Equiv.  |               | 7.4-8-90             |         |                             | " Fibrinogen             | Sorl | 100                       |                                  | 3.5-6.7   |       |
| 25   | Cholesterol (Total)                                       |     | mgm/100cc | 300.0         | 153-260              |         | Toler:                      | 61.1.1                   | 100  | %                         |                                  | 0.20=0.40 |       |
|      | ., (Esters)   |     | "         |               | 80-150               |         |                             | A. G. Ratio              | Sort | %                         |                                  | 1.5-3.0   | - 1   |
|      | Cephalin-Cholesterol                                      | S   |           |               | 00 100               |         |                             | Protein-Bound In         | S    | (100                      |                                  | 4.1:1.2   |       |
|      | CO2Combining Power  | P   | Vol/100cc |               | 53-72                |         |                             | Sodium (as Na)           | P    | mg/100cc                  |                                  | 4-8       |       |
|      | Creatine  | В   | mgm/100cc |               | 2-8                  |         |                             |                          | r    | m/Equiv.                  |                                  | 316-340   |       |
|      | Creatinine  | В   | ,,        |               | 0.1-1.2              |         |                             | Sugar (Fasting)          | 12   | mgm/100cc                 |                                  | 130-143   |       |
|      | Glucose Tolerance-<br>Standard Test<br>Glucose Tolerance- | В   |           |               | 3.1.1.2              |         |                             | " Ordinary               | В    | mgm/1Q0cc                 |                                  | 60-120    |       |
| -    | Rose & Exton's  | В   |           | A STATE OF    |                      |         |                             | Sulphates (Inorganic)    | S    |                           |                                  | 0.9-1.5   |       |

CEREBRO-SPINAL FLUID

7.3-7.5

1-6

40-56

1.7-2.6

25-35

0.5-5

3-13

Transaminases - S.G.O T.

Urea Nitrogen

Van Den Bergh

S.G.P.T

25/8 Thymol Turbidity

25/8 Urea

25/8 Uric Acid

S

S

S

В

S

Units

BSP mgm/100cc

()-4

4-40

1-45

7-20

15-40

tellansa

2-3.5

2.0

40.0

4.0

Routine Counts Quant Chlorides Quant Sugar Quant Direct Culture Kahn Others Smear

32.0

3.1

Hydrogen Ion Conc.

Phosphatase (Acid)

Icteric Index

Magnesium

25/8 (Phosphatase (Alkaline

Iron

25/8 (N. P. N.)

S

S

В

S

В

ingm/100cc

S G& G Units

S K. A. Units

| *                   | <sup>朔</sup> 25/8/61  |                                | НО    |                                 |        |                      | eie L   |  |             |  |       | Lab.      | Ref  | No Aug      | /61              |
|---------------------|---|--------------------------------|-------|---------------------------------|--------|----------------------|---|--|-------------|--|-------|-----------|------|-------------|------------------|
| 時<br>Ti<br>**<br>Na | meA.M./   | 大量去                            | た     | HAEMAT                          | OLOGY, | REQI                 | UEST AND RE<br>性別<br>Sex  | PORT<br>···································· | SHEET<br>O- | pati<br>************************************ | ent   | H         |      | t 数<br>No   |                  |
| h                   | ease tick / whi   |                                | •     |                                 |        | Ordin                | ······  |  |             |  |       | nature    |      | Li          |                  |
|                     | R.B.C. H  | b.   E                         | S.R.  | C.R.P.                          | RE     | ETICU                | ULOCYTES  | НА   | EMA         | TOCR   | IT    | ABSOLU    | TE ' | VALUES      | FILM.            |
| Date 25/8           | ERYTHROCYTES Total number   | 4.58                           | REPOR | T                               |        |                      | l Values<br>million<br>per cu/cm  |  |             |  |       | RED CELI  |      | 112020      | Sig. of Exam.    |
|                     | Hb in gms.  Hb %  Haematocrit  M.C.H.  M.C.V.   | 12.7                           |       |                                 | 3      | %<br>%<br>y y        | 4.2-6.4<br>12-18<br>80-100<br>39-51<br>27-32<br>80-94                   |  |             |  |       |           |      |             |                  |
|                     | M.C.H.C. Reticulocytes E.S.R. (Westergren) E.S.R. (Wintrobe) C-reactive Protein   | •                              |       | mm/hr.                          | М.     | %<br>%<br>3-5<br>0-9 | 32-36<br>0.2-2.0<br>F. 4-7<br>F. 0-20                                   |  |             |  |       |           |      |             |                  |
|                     |   | o.w.B.c.                       |       |                                 | ABI    |                      | MAL WHIT  | E CE   | LLS         |  |       | •         |      | •           |                  |
| Date                | LEUCOCYTES  | %                              | REPOR | Total No.                       |        | Normal<br>6          | Values Total cu./mm.  | ABI  | NORMA       | AL WHI                                       | TE CE | ELLS      | %    | Total No.   | Sig. of<br>Exam. |
| 25/8                | Total number Juveniles Neutrophil Bands "Segment Eosinophils Basophils Lymphocytes  | 0 39                           | 2,    | 900<br>147<br>499<br>196<br>911 | }40-   | -75<br>-6<br>1<br>25 | 4000-10.000<br>0<br>0-300<br>2500-7500<br>40-400<br>10-200<br>1500-3500 |  |             |  |       | 17        | 9    |             |                  |
| 0                   | Monocytes Total Cells counted PLATELETS   | 3                              |       | 147                             |        | 50.000               | 200-800   |  |             |  |       |           |      | List        | hvh              |
|                     | COAGULATION   | N RATE                         | BLEI  | EDING T                         | IME    | GR                   | OUPING  | CROS   | SMA         | TCHIN  | NG    | KAHN      | 1    | V.D.R.L.    |                  |
| Date                | TEST  |                                |       | REPO                            | RT     |                      | Normal<br>Values  |  |             | GRO  | UP    |           | Ka   | hn V.D.R.L. | Sig. of          |
|                     | (Bleeding) Time (Dr.,, (Mac<br>Coagulation Rate (Le<br>Clot Retraction (Mac<br>Prothrombin Time (C<br>Fibrinogen (Hanna)<br>,, Rapid in | cfarlane) ce & White cfarlane) |       |                                 |        |                      | 0-7 min. 2-4 ,, 4-10 ,, 48-64% 10-14 sec. 0.2-0.4% Approx. %            | -4391  | Boss        | A B  | 0     | Rh factor |      | Nega        | Exam.            |

Hory hous

Jul.

Nr. 1242

Mr. S.W. Lee 2205-6, Melbourne Plaza 33, Queen's Road C. 22nd Floor Hong Kong

Dear Mr. Lee,

In answer to your letter of December 28th, I inform you that in order to be able to give you an advice regarding our treatment, we should know your age, sex, your diagnosis or laboratory tests.

I send you herewith our general information about Gerovital H3 treatment and all the possibilities to undergo it in Romania.

I remain with my kindest regards,

Yours sincerely,

Prof. Ana Aslan, M.D., D.Sc.

CABLE ADDRESS:
"WAHCOMP"
HONG KONG
P, O. BOX 784
TEL. 5 - 2 2 1 1 9 1 - 2

### 司公限有華興

#### S. W. LEE & CO., LTD.

2205-6, MELBOURNE PLAZA.

33. QUEEN'S ROAD C., 22ND FLOOR

HONG KONG

MANUFACTURERS.
REPRESENTATIVES.
IMPORTERS & EXPORTERS
REAL ESTATE AGENTS

December 28, 1973.

Professor A. Aslan Geriatrie Institute P. O. Box 2009 Bucharest, Rumania. Ministerul Sănătății
Institutul de Geriatrie Busuroștii
INTRAR Mr. 1242
Anni Lune 21/17/44

Dear Professor Aslan:

I am indebted to I.M.E.C.O. in your city for giving me your address for direct contact, in respect of your GEROVITAL.

As I myself and other friends would like to have your personal treatment, I would like to know what you will require from us for preparing the prescription to each individual. In this, I mean whether we have to tell you the age, sex, or other important information concerning the health of the individual, etc. etc. We would be glad to answer the questionnaire you may set out to facilitate your preparing the prescription.

Please note my address is as per the above letter head.

Looking forward to the pleasure of hearing from you,

Sincerely yours,

S. W. Lee

P.S. Please give me your full address so that my friends and/or myself when going to Bucharest for personal treatment can contact you in person.

Please also let me know when sending you remittance for the vials and drugs, the name of the bank as well as full address through which the money is to be sent to you. Dr. Sousa

MACAU, le 16 Décembre 1969

Dr. Ana Aslan

Institut de Geriartrie

BUCAREST

ROMANIA

De Jarel Jarel make

Depuis quelque temps, jtx j'ai lus à plusieurs p publications, des notices dur votre "GEROVITAL H3". A ces endroits où je demeure --MACAU (près Hong Kong =30 milles)--au sud de la Chine, il me semble que votre médicament n'est pas connu.

Macau est une petitte possession portugaise --aujourdui de 200 mille habitants, que la Chine, autrefois, il y a 400 années de offert ao Portugal, comme prix pour sa lutte contre les pirates, aussi chinois, qui, à ce temps là, infestaient les meres de ee pays.

Je desirais --et c'est la raizon de cette lettre-faire en moi l'expérience de votre "GERVITAL H3". Je suis médecin, spécialist me d'Analyses Cliniques.

Tous les renseignements sur cette matière, je vous leg remercierai bien.

À ce qui concerne à l'envoi d'une emballage, parce que j'ignore les frais propres e de transport par avion, si possible, je les payrai ici, à la poste.

Par autre coté, j'ai la possibilité de faire ici et à Hong Kong, au moins, le placement de votre médicament.

\*

- REYNALDO SOUSA VIEIRA \*
Médecin analyste \*
-Hospital de S. Januário \*
MACAU (Via \*
EXTRÊME ORIENT (Hong Kong)\*

Avec les meilleurs compliments Reynaldo Sousa Vieira D2 2 70 70

Monsieur le Docteur Reynaldo Sousa Vieira Hospital de S. Januario MACAU (Via Hong Kong) Extrême Orient

#### Cher Confrère,

Nous accusons réception de votre lettre du 16 décembre 1969 et vous remercions de l'intérêt montré pour nos travaux.

Nous nous excusons du retard de cette lettre, mais le Professeur Aslan est à l'étranger pour une tournée de cnférences et nous avons attenda son retour.

Nous vous envoyans une lettre circulaire, d'où vous pouvez vous rendre compte du traitement au Gérovital H3, mais nous n'avons pas la possibilité de vous envoyer le médicament, parce que nous ne nous occupons pas avec sa vente (pour celà vous devez vous adresser à l'entreprise "CHIMIMPORT" Bul Republicii 10, Bucarest, où vous pouvez éventuellement obtenir la représentation pour Macau).

Ci-joint aussi une liste de pharmacies d'où vous pouvez vous procurer le médicament à l'étranger).

Veuillez agréer, cher Confrère, l'expression de mes sentiments les meilleurs,

1. Aani

Dr. C. David Directeur Adj.de l'Institut de Gériatrie Bucarest Mr. E. P. Carrington 320 Prince Edward Road Kowloon, Hong Kong

August 10th 1959

Dear Mr. Carrington,

I have received your letter of July 11 and am sorry the others must have gone astray.

In answer to your request, I inform you that treatment with our product "Gerovital H3" would have a favourable influence in your wife's case and improve her condition.

The product is available for export and I advise you to write to the state enterprise which is handling its sale abroad: "CHIMIMPORT", 12 Strada Doamnei, Bucharest, requesting the sending of 36 ampoules, for the first three series of injections. The duration of the treatment will depend on the progress achieved.

duct in England: Messrs. R.E.Franz Ltd., Hanover House, 73
High Holborn, London WC 1, in view of obtaining supplies.

Once you arrange to have the treatment administered, please send me a medical report and keep me informed with your wife's condition. I will ne glad to give any advice which might be necessary.

With best regards,

Yours sincerely, A-Mh

Prof.Dr.Anna Aslan Director of the "C.I.Parhon"Institute of Geriatrics MINISTERUL
SANATAŢII ȘI PREVEDERILOR SOCIALE
INSTITUTUL DE GERIATRIE
"PROF. DR. C. I. PARHON"
B U C U R E Ş T I
STR. M. CĂLDĂRUŞANI Nr. 9
IFL. 17.24.41

Loc pentru stampila de intrare

| Către: | Scris. dvs. nr. | data |
|--------|-----------------|------|
|        |                 |      |
|        | Scris. ns. nr.  | data |
|        |                 |      |

Referitor la:

Anexe:

20:26

IMPORT, EXPORT AND MANUFACTURERS' REPRESE

CODE USED: ACME AND PRIVATE.

# - - E. P. Carrington - -

320, PRINCE EDWARD ROAD, (1st floor), KOWLOON, HONG KONG.

"CARRI. HONG K 5. PHONE: 50486

英 · 商 · 克 · 寧 · 洋 · 行 · Prof. No.

Hongkong. 11th. July, 1959.

Professor Anna Aslan, Institute of Geriatrics, Bucharest, Rumania.

Dear Professor,


I wrote you on 19th. April and again on 28th. June, 1959 begging you to help me with my arthritus and my wife's ilness, with your wonderful medicine called "H3". But I regret to state that I do not seem to have received any reply from you.

May I appeal to you once more the ungency of our cases and ask you for your kind consideration. I am quite prepared to pay for your medicine and your service as stated in my first letter. However, if this medicine cannot be supplied outside your clinic and hospital, you will also please let me know.

Thanking you for the favour of an early reply.

Yours faithfully,

ADDRESS: NGTON:



confibilities of Butazolidin a day, veb a nibilizatua to ateldet confibilities of Butazolidina confibilities of the carrington. MITTO 320, PRINCE EDWARD ROAD, Clast floor & KOWLOON, HONG KONG, TOHONE: 50486 AND PRIVATE. four times daily, but I was 英ather un-active, and after three or four monting the \$300 室下 t克d 「could take one tablet of No And idin deily and sweetemented with six tablets of clacium and asperin daily. But I have . 1959. Sometimes I have left off the taking of Butazolidin for one or two days without any appreciative effects. EXPORTS: I have taking one tablet of butazolidin and six of calcium asperin daily for the pare land and six of the pare land. FROZEN PRAWNS AND FISH. Institute of Geriatrics, MEN'S SUITS MADE TO The weather seems to have no particular effetegradous INDIVIDUAL as when there is a change in the weather cther themun MEASUREMENTS. FIRE CRACKERS AND ed bluow I sain sand pains I would be any worse, then I would feel stiff and wink bas first leel stiff and worse, Dear Professor si resther the weather is now own no lie niso RUBBER, CANVAS AND I have reading articles on your wonderful cure by the EATHER FOOTWARE. name of "H. 3" improved and perfected by you, for many kinds of illness of these articles have been written by Olga Franklin of England who visited you and had taken CARVED FURNITURE & CAMPHORWOOD CHEST. DERED LADY'S this treatment. The Her version of your treatment with WARE AND HOUSEHOLD ARTICLES "H.3" is simply marvelous. CARVED IVORY WARE, I have been suffering from rheumatoid arthritis since 1949, although I am totally incapacitated or bed-ridden ELECTRIC TORCHES & BATTERY. but I have been very much handicaped. My age now is VACUUM FLASKS, sixty-two. COTTON AND SILK I have consulted a great number of doctors for the past PIECE GOODS, ten years and have been treat with many kinds and new TOYS AND NOVELTIES. medicines, including: Cortisone, ACTH (drip treatment), deep ray electric therapy, but they only gave temporary HONG KONG MANUFACTURED GOODS, relief. 0 ETC., ETC., ETC. If I had the means I would certainly come to consult you in Bucharest, but this is out of question, as I cannot afford the necessary expenses. I write to enquire whether you would be good enough to let me know if the treatment could be undertaken in Hongkong, by your sending me the necessary medicines ROZEN AND CANNED with your instructions, and please advise me what would FOODSTUFFS. be the cost of this medicine. If necessary I will ask WOOLLEN & COTT my doctor to give a report on my case, upon hearing from TEXTILE (ou. I also wish to add that my wife suffers from gastric ulcer and general nerveousness for the past fifteen years, and she also would like to be treated with your medicine.

I had been taken Butazolidin for nearly two years until I was taken to hospital fourteen months ago with Atherosclerotic heart disease; then I was taking four tablets of Butazolidin a day, I was taken off Butazolidin until I was cured of my atherosclerotic heart disease.

After that I was given two tablets of Calcium asperin four times daily, but I was rather un-active, and after three or four months the doctor told I could take one tablet of Butazolidin daily and supplemented with six tablets of clacium apx asperin daily. But I have lend attacks of stiffness and pain from time to time. Sometimes I have left off the taking of Butazolidin for one or two days without any appreciative effects. I have taking one tablet of butazolidin and six of calcium asperin daily for the past eight months.

The weather seems to have no particular effects on me as when there is a change in the weather other ofd people would complain of stiffness and pains I would be not be any worse, then I would feel stiff and sain pain all on my own when the weather is good.

Ideshall be glad to hear from you that you would be good enough to sell me and my wife this wonder remedy and not advise me how much it would cost, so I may remit you ment he necessary amount by Postal order or bank draft. Thanking you in anticipation for your kind consideration.

I have been suffering from rheumatoid arthritis since
law, although I am totally incapacitated or bed-ridden
but I have been very much handicaged. My age now is
sixty-two.

I have been very much handicaged. My age now is
sixty-two.

I have been treat number of doctors for the past
ten tent and the past number of doctors for the past
medical for the past number of doctors for the past
in Bachard the past number of the past number
afford the past number of suestion as Incapacity of the past
let me the treatment to under the past number of th

To open cut here->


atriba. Vica sa-i +, -29000 Trimitem file of diajenus 38 MAGAZINE GAP ROAD FROM BERTRAM M. EDE 德 CABLE ADDRESS: 倫 VERIMONTEDE HONG KONG HONG KONG 伊 TELEPHONE 96579 廸 bme/sf/Pers/318 16th January, 1965. Dr. Ana Aslan, Institute of Geriatrics, Bucarest. ROUMANIA. Dear Dr. Aslan,

I have just read Olga Franklin's book on H3, and I write to ask whether it is possible to obtain H3 direct from Roumania in both injection and tablet form, and if not whether this can be reliably purchased out here?

My wife has not been well lately and incidentally suffers from an arthritic hip and I am sure would benefit from your advice and help.

Yours sincerely,

Bertram M. Ede.



-To open cut here

An-2589/64-22 morphet genratures

Mr. S.K.Ong
A N T A R'A
Hong Kong Office
H O N G K O N G
Flat "B"9th Floor, 6-8 King's Road

February

18

Dear Sir,

I have received your letter and thank you for your interest concerning our work.

Our drug Gerovital H3 is produced on a industrial scale and can be find in any chemistry in our country. It is also exported abroad - on request - by the Rumanian exporters CHIMIMPORT, Bucharest, Blvd.Republicii nr.lo. Its distributors abroad can also supply you with our drug. As concerning the representation rights kindly apply to CHIMIMPORT, through direct correspondance, as this Firma is handling all commercial matters as regards derovital H3.

Herewith I enclose the requested litterature.

Yours sincerely,

Prof. Anna Aslan, M.D., D.Sc.

Director, Bucharest Institute

of Geriatrics



#### LEMBAGA KANTORBERITA NASIONAL (ANTARA INDONESIAN NATIONAL NEWSAGENCY INSTITUTE)

A1-2589/64

CABLE: "ANTARA" P. O. B.

(ANTARA NEWS AGENCY) HONG KONG OFFICE FLAT "B" ON 9TH FLOOR, 6-8 KING'S ROAD, HONG KONG

Your Ref:

Our Ref: 110A/63

December 17, 1963.

Messrs. ANNA ASLAN INSTITUTUL de GIRLAT RIE.

Bucharest, Rumania.

Dear Sirs,

We happen to learn from an English magazine that you have produced in Rumania a rejuvenescent medicine called "H3", therefore, we write you this letter and hope you will be kind enough to supply us some informations as follows:

- 1. If you have the brochure explaining "H3" in full detail, please favour us a copy.
- 2. Whether or not you have ranufactured "H3" in large scale as merchandise for public consumption.
- 3. Where can one buy this rejuvenescent medicine, and if one desires to become your agent in the Far Fast for boosting H3, can the desirer negotiate with you through direct correspondence ?

Thanking you in anticipation, we remain, Sirs,

Yours faithfully, Antara Indonesian National Newsagency Institute

Manager

AN NATIONAL HEW

he so gratiful of your Importunatel I am unable of you will belline breumably you do not wish to so not wish The cost I wie forward to me at the above address honding if you could the money to you or will for as Brokaust & am dig you can to my at this thing to travel as make anangement to a course of your heatment. Booth out here. Ibraphong. Ihave suffered you Long mong you thematic The Share Mothism Startiers your name an my macions to unders Your Substance H.3 + has become formous with Manghang. aprile has reached as for as Roberto - Dear Madam,

ENCLOSURE; IF IT DOES IT WILL BE SURCHARGED Institute of Genstries rollesser Amer aslan AN AIR LETTER SHOULD NOT CONTAIN ANY OR SENT BY ORDINARY MAIL. G KO HONG AEROGRAMME In the theatment in your Capable hands. Jone of the Substance # 3 here shop the prograph on massac. to me to relieve the pain of my to travel to Brichoust Lynned you will I will then get my Broth me to send the money: to administe to injection It I am able I will wood year to undergo

8607/15-VII sine, med. + pret

Mr. Keen Seek Causeway Bay Mansion 8th Fl., "D" Paterson St. Causeway Bay, Hong Kong

Dear Mr. Seek,

I have received your letter and inform you that we have forwarded a copy of this letter to "Chimimport," B-dul Republicii lo, Bucharest, the Romanian sole exporters of Gerovital H3 who are handling the sale of the product. They will answer your letter directly giving you full information on commercial matters.

Yours sincerely,

Prof. Anna Asian M.D., D.Sc.

D10-8607/67



#### BEAUTY MAKE-UP PRODUCTS

CAUSEWAY BAY MANSION 8TH FL., 'D' PATERSON ST.

CAUSEWAY BAY, HONG KONG

TEL, 221962, 231909, 776973

CABLE ADDRESS: "KEENSEEK"



#### BRANCH OFFICE

Room 801, The Hongkong Chinese Bank Building, 61-65, Des Voeux Road, "C". Hong Kong. Tel. 221962, 231909 P. O. Box 13333, Hong Kong.

HONG KONG

4th,

May,

19 67 .

Dr. A/Aslan, Institutu, L. De Geristrie, Bucharest, Romania.

Dear Dr. Aslan,

We are well known in dealing in Medicine and Beauty Make-Up Cosmetics for over ten years in Hong Kong and Southeast Asia. In the meantime we have brance offices throughout East and South Asia and are agents for many famous manufacturers all over the world.

Now we are glad to know that your H3 new Medicine have been put into market. We are very interested to ask you about the Full Information regarding the conditions of import your goods and may we ask you to be your agent in Hong Kong as well as in South East Asia and we have many connections with all the big Dispensaries and Department Stores in Hong Kong and Kowloon.

We can certainly ensure you that any new Medicine through Hong Kong can be made world-famous by the users and tourists of every parts of the world and therefore it is most hopeful in selling H3 for large scale.

We would appreciate it if you would be kindly enough to send us your Full-Samples both in tablet and ampoule together with your quotations, export-price-list, English Directions, pamphlets etc, in C. I. F. basic. Of course, we do agree to pay you the Sample charges if you are necessary. Upon hearing from you we have no doubt to give you our Demand Draft for the same.

For your reference, the Bank of Canton Limited will give you any information in regard to the financil situation of our company.

As soon as we will receive your Samples we should have to try our energy to see whether this kind of Medicine will be suitable in our markets and we are ready to begin to do business with you as soon as possible.

Thanking you for your kind attention and co-operation and we are looking forward to hear and receive your samples from you very soon.

Sincerely yours,

SEER SEER REAUTY MAKEUR PRODUCTS

Keen Seek-The Manager

1020

CABLE ADDRESS:

TEL. 79391

China Can Co. (Hong Kong) Ltd.

"D U O"

TIN LITHOGRAPHERS



CAN MANUFACTURERS

I. L. NO. 525, SHAUKIWAN ROAD
HONG KONG

15th April, 1959.

OUR REF. NO.

YOUR REF. NO.

Prof. Dr. Anna Aslan, INSTITUTUL DE GERIATRIE "Prof. Dr. C. 1. Parhon" Str. M. Caldarusani Nr. 9, Bucuresti, Rumania.

Dear Prefessor Dr. Aslan,

I have written to CHIMIMPORT asking a supply of the substance  $\rm H_3$  as you have instructed in your letter dated February 18, 1959. But have got no reply yet.

Meanwhile, I have bought from the Hoechst Chemical Products Ltd. of West Germany, a small quantity of NOVOCAIN which is said to be identical to your substance H<sub>3</sub>. Enclosed please find the literature of it and under separate cover I am sending you by air parcel a box of the said NOVOCAIN. Would you be so kind as to examine it for me and advise whether there is any difference between your substance H<sub>3</sub> and the NOVOCAIN.

I am now injecting NOVOCAIN three times a week, with  $2\frac{1}{2}$ cc. each, together with a hypotensive medication, and I have taken nine injections already, though my blood pressure remains at 130/90 - 140/90, I feel no improvement in my general condition and still feel very tired in the afternoon. I wonder whether it is advisable to increase the dosage or not.

A friend of mine suffers from duodonel ulcer and peptic ulcer, he would like to know whether the substance H3 is a remedy for the above mentioned disease.

Your advices in these regards would be greatly appreciated.

Sincerely yours,

W. K. Shang

W. K. Shang.

MINISTERUL SANATATH SI PREVEDERILOR SOCIALE INSTITUTUL DE GERIATRIE "PROF. DR. C. I. PARHON" BUCURESTI STR. M. CALDARUSANI Nr. 9 TEL. 17.24.41

Loc pentru stampila de intrare

Către:

Mr. W. K. Shang 18, Kai Yuen Terrace Second Floor King's Road Hong Kong

| S |   | 20 | de  | 10 | nr. |  |
|---|---|----|-----|----|-----|--|
| 3 | - | 15 | Q Y | 3. | ut. |  |

Scris. ns. nr.

data

August 19,1959

Referitor la:

Dear Mr. Shang,

I have received your letter of July 17 and hope you will meanwhile have received my letter of June 9th - a copy of which I am forwarding.

I am sorry to see that the injections of Novocain have not satisfied you and that you do not observe an improvement of your general condition. Could you send me a full description of your present condition or a medical report? I note that your blood pressure is satisfactory.

In answer to your question, I inform you that - as you well know - there exist a variety of procaine solutions in different countries. In our scientific research, we have experimented different solutions of procaine and have decided upon a solution with a pH of 3.5-4, whose clinical and experimental results have been reported at different national and international congresses. It is a 2 percent solution of procaine, buffered and stabilised after our own procedure - and registered as trade mark under the name of "Gerovital H3". It has a much lower anastthetic action than current procaine solutions, a higher stability and a greater "eutrophic" efficiency. It contains micro-elements which increase procaine's action on the nervous system.

These facts have been confirmed experimentally by our investigations and by clinical research work carried out in our Institute. In other countriex, they have also been confirmed by physicians performing comparative investigations with "Gerovital Ha" and various solutions of procaine.

Please let me know if you have secured a supply of the product and send me news about yourself.

Anexe:

Sincerely,

"Prof. Dr. C. I. PARHON" BUCURESII

Str. Mînăstirea Căldărușani, 9 Căsuța poștală 2083 • Telefon 17.76.85 Loc pentru stampila de intrare

Către:

Scris. dvs. nr.

dat

Scris. ns. nr.

data

COPY

June 9th 1959

Referitor la:

Dear Mr. Shang,

I have received your letter and the box of novocaine ampoules.

This is of course different from our product but can be used with satisfactory - if not as effective - results. The dose should be increased to 5 cc. If it is considered necessary, you can associate the hypotensor.

Dur product "Gerovital H3" is now available for export and arrangement s for its sale abroad are under way. R.E.Franz Ltf., Hanover House, 73 High Holborn, London WC 1, are acting as representatives for Great Britain and the Commonwealth. You might already enquire about the possibility of getting supplies. I will in any case let you know as soon as I am aware that it is on the market there. So sorry to be unable to send you supplies myself, the drug is now manufactured by the Ministry of Oil Industry and Chemistry and its sole exporter is "Chimimport" - Bucharest.

H, has been used in quite a number of duodenal ulcer cases successfully. It is, in such cases, administered intravenously. Two to three series of 12 injections each are generally sufficient.

Hoping to hear from you again soon, I remain, Yours sincerely,

Prof. Dr. Anna Aslan

A. Mun

Prof. Dr. Anna Aslan, INSTITUTUL DE GERTATRIE "Prof. Dr. C. 1. Parhon" Str. M. Caldarusani Nr. 9, Bucuresti, Rumania.

Mr. W. K. Shang, 18, Kai Yuen Terrace, Second Floor, King's Road, Hong Kong.

July 17, 1959.

Dear Professor Dr. Aslan,

I wrote you on the 15th April, 1959 on subject of injection of NOVOCAIN, and am sorry that no advice has so far been received from you. The lapse of three months has induced me to believe that my letter might have gone astray. I am now enclosing herewith a copy of the said letter and anticipating your early reply.

I have already taken four courses of injections in NOVOCAIN (each course consists of 12 injections) since last time I wrote you. The dosage now I'm taking is 5 cc instead of the former  $2\frac{1}{2}$  cc which I took three months ago. My blood pressure remains at  $\frac{130}{90} - \frac{140}{90}$ , but still I feel less (or could merely say no) improvement in my general health. I shall be glad to hear your advice in this respect.

Regarding  $_{p}$ H value, this is the only difference which I find among your Gerovital  $_{3}$  and my NOVOCAIN. Please advise whether this difference will make any different effect on human bodies. To the best of my knowledge, anyhow, the difference in  $_{p}$ H value will not make any different effect.

I have got a new address now, and all correspondence should be addressed as follows :-

Mr. W. K. Shang, 18, Kai Yuen Terrace, Second Floor, King's Road; Hongkong,

Hoping to hear from you before long, I remain,

Sincerely yours,

W. K. Shang

Encl: A copy of letter.

Prof. Dr. Anna Aslan, INSTITUTUL DE GERIATRIE "Prof. Dr. C. 1. Parhon" Str. M. Caldarusani Nr. 9, Bucuresti, Rumania.



15th April, 1959.

Dear Professor Dr. Aslan,

I have written to CHIMIMPORT asking a supply of the substance  ${\rm H}_3$  as you have instructed in your letter dated February 18, 1959. But have got no reply yet.

Meanwhile, I have bought from the Hoechst Chemical Products
Ltd. of West Germany, a small quantity of NOVOCAIN which is said to be
identical to your substance H<sub>3</sub>. Enclosed please find the literature of
it and under separate cover I am sending you by air parcel a box of the
said NOVOCAIN. Would you be so kind as to examine it for me and advise
whether threre is any difference between your substance H<sub>3</sub> and the
NOVOCAIN.

I am now injecting NOVOCAIN three times a week, with  $2\frac{1}{2}$ cc. each, together with a hypotensive medication, and I have taken nine injections already, though my blood pressure remains at  $^{130}/_{90}$  -  $^{140}/_{90}$ , I feel no improvement in my general condition and still feel very tired in the afternoon. I wonder whether it is advisable to increase the dosage or not.

A friend of mine suffers from duodonel ulcer and peptic ulcer, he would like to know whether the substance H<sub>3</sub> is a remedy for the above mentioned disease.

Your advices in these regards would be greatly appreciated.

Sincerely yours,

W. K. Shang.

W. K. Shang

Dear Mr. Shang,

I have received your letter and the box of novocaine ampoules.

This is of couse different from our product but can be used with satisfactory - if not as effective - results. The dose should be increased gradually up to 5 oc. If it is considered necessary you can associate the hypotensor.

Our product "Gerovital H3" is now available for export and arrangements for its sale abroad are under way. R.E.Franz Ltd, HMnover House, 73 High Holborn, London W.C.l are acting as representatives for Great Britain and the Commonwealth. You might already enquire about the possibility of getting supplies. I will in any case let you know as soon as I am aware that it is on the market there. So sorry to be unable to send you supplies mayself, the drug is now manufactured by the Ministry of Oil Industry and Chemistry and its sole exporter is "Chimimpert"-Bucharest.

Hy has been used in quite a number of duodenal ulcer cases successfully. It is, in such cases, administered intravenously. Two to three series of 12 injections each are generally sufficient.

Hoping to hear from you again soon, I remain,

Yours sincerely,

Prof. Dr. Anna Asian

Mr. W. K. Shang China Can Co.Ltd I.L.No.525, Shaukiwan Road Hong Kong

Dear Mr. Shang,

It has been most kind of you to send me the lovely material and I deeply appreciate your attention. I consider your New Year gift as a token of friendship and send you my warmest thanks.

H<sub>3</sub> is finally being produced on an industrial scade and shall be exported to different countries. To gain time in getting a supply, you could meanwhile write to "Chimimport", strada Doamnei 12, Bucharest, asking for a quantity to be sent to you. The drug is produced by The Ministry of Chemistry - to whom you could also send a copy of your demand (Ministry of Chemistry, The Minister's Office, Strada Scaune 1, Bucgarest).

I have given you these details hoping they will help you in obtaining a supply of H<sub>3</sub> for your treatment as early as possible. Things will be easier as soon as regular sale is organized.

Meanwhile, please give me details as regards health condition.
Hoping to hear from you soon,

with the very best of greetings, Yours sincerely,

Prof.Dr.Anna Aslan

THE PROPERTY OF THE PARTY OF TH

Ahlen

## 康元製罐廠股份有限公司 China Can Co. (Hong Kong) Ltd.

"CHINACANCO"

TEL. 79391

TIN LITHOGRAPHERS

MECHANICAL TOYS



CAN MANUFACTURERS

CODES USED:

"DUO"

"BENTLEY'S"

VACUUM FLASKS

I. L. NO. 525. SHAUKIWAN ROAD
HONG KONG

YOUR REF. NO.

19th December, 1958.

Professor Dr. Anna Aslan, Institutul De Geriatire, Str. Minastirea Caldarnsani 9, Bucuresti.

Dear Professor Dr. Aslan,

Thank you for your cable of December 18, 1958. I hope that I can receive your letter in the not distant future.

I am sending you a little Christmas gift through air parcel post and hope you will receive it before the end of the year. The gift itself means nothing but I wish to express how much I appreciate your kind assistance in restoring my physical health.

Wishing you a very merry Christmas and a Happy New Year.

Sincerely yours,

W. K. Shang.

|                          | EURAMA                            |
|--------------------------|-----------------------------------|
| LT R P FCS 55            | 5. 55 DR ANNA ASLAN               |
| Primitor STR MI NASTIREA | A CALDARUS ANI                    |
| 9 BUCURE                 | STI Nr.                           |
| - LO LOK 2 DIN HONKONG   | 820/14 55/51 14 23 41             |
| AWAITING REPLY MY LETTER | R AUGUST 20 1958 HYPERTENSION     |
|                          | STOP WONDER OTHERS HAVE           |
| ABVISE CONTINUNE INJ     | ECTION UNDER HYPERTENS ION        |
| HONGKONG MERRY CHRIST    | PMY CABLE. ADDRESS SYCHOOU XX     |
| HONGKONG MERRY CHRIST    |                                   |
| THE OLLT R P F C S 55.55 | 9 20 1958 EX Ktg. 6-20 F. 1/12 A1 |

MINISTERUL
SĂNĂTĂȚII ȘI PREVEDERILOR SOCIALE
INSTITUTUL DE GERIATRIE
"PROF. DR. C. I. PARHON"
BUCUREȘTI
STR. M. CĂLDĂRUŞANI Nr. 9
TEL. 7.24.41

holoment

#### WAKSHANG SYCHOOU

#### HONGKONG

BLOOD PRESSURE 148 NOT CONSIDERED HYPERTENSION AT AGE 65 STOP SENDING DETAILED REPLY EXPRESS AIRMAIL REGARDS

ASLAN

alli

Prof. Dr. Ana Aslan
Inst. deGeriatrie

8/37/17. Xu. 1958



#### In mild and labile hypertension

(Rauwiloid) is undoubtedly as unique a pharmacological agent as has been offered for plication in clinical medicine in many years. Especially is this appreciated when it is contrasted with the list of hypotensive agents which have been used in recent years and have resulted in such undesirable side-effects that their practical use has been greatly mitted.

Livesay, W. R., Moyer, J. H., Miller, S. I., J. Amer. med. Ass. (1954) 155:1027

"The fact that seventeen of our twenty patients with normal or grade I fundi treated with 'Rauwiloid' alone showed an average reduction in arterial pressure of 20 mm. systolic and 18 mm. diastolic below the optimal level obtained with mild sedation, and showed a rise in arterial pressure and a return of anxiety when placebos were substituted, leaves little doubt of the value of the drug in mild hypertensive vascular disease."

Finnerty, F. A., Amer. J. Med. (1954) 17:629

RAUWILOID leads to pronounced subjective improvement, has no important side-effects, and no known contra-indications. Given with more potent agents such as "VERILOID' (a standardised preparation of Veratrum viride), hexamethonium or hydrallazine, it augments the hypotensive effect enabling the dosage to be reduced, thereby minimising side-effects.

#### In Psychiatry

There is now wide-spread interest in the use of Rauwolfia serpentina as a valuable adjunct to the treatment of certain mental disorders. 'Rauwiloid,' the Rauwolfia preparation of rhoice, is well suited for use in these conditions. In mild cases of anxiety, tension, rousness and excitability, four tablets of 'Rauwiloid' daily will usually be found adequate. In more severe cases of mental illness, especially those characterised by hyper-activity, a higher dosage will normally be required.

"Rauwolfia serpentina produces a sense of well-being which has been described as quite real and perhaps the most easily identifiable effect of the drug."

Wilkins, R. W., and Judson, W. E., New Engl. J. Med. (1953) 248:48

"Superior to phenobarbital in its ability to decrease anxiety and improve the general sense of well-being, it has very little soporific effect."

Ford, R. V., Moyer, J. H., Amer. Heart J. (1953) 46:754

For more severe cases of mental illness, especially those characterised by hyper-activity, treatment with Reserpine — 'Serpiloid' brand — should be considered. (See separate literature).

RAUWILOID and VERILOID are registered Trade Marks.

Regd. User: Riker Laboratories Limited, Loughborough, Leics., England.

54-298

Medical Information

# Rauwiloid brand alkaloid hydrochlorides of RAUWOLFIA SERPENTINA

RAUWOLFIA in its most satisfactory form

It preserves all the desirable actions of the crude drug, yet is free from its undesirable

Only 'Rauwiloid' contains in a refined form constituents. the two active hypotensive alkaloids reserpine

and rescinnamine.

It is one of the least expensive forms of Rauwolfia serpentina available.

Dosage is simple - two 2mg. tablets at night.

RAUWILOID is standardised and biologically tested.

In bottles of 20, 60 and 500 tablets

RESEARCH

"Prof. Dr. C. I. PARHON" BUCURES II

Str. Mînăstirea Căldărușani, 9 Căsuța poștală 2083 Telefon 17.76.85 Loc pentru stampila de intrare

Către:

Mr.W. K. Shang China Can Co.Ltd. I.L.No.525 Shaukiwan Road Hong Kong Scris. dvs. nr. Your letter:

Cable :

August 20 December 14

data

Scris. ns. nr.

8137

December 18 1958

Referitor la:

Dear Mr. Shang,

I am sorry to answer your questions so late but I have been awy from Bucharest repeatedly until a short while ago.

I first wish to make it clear that novocain acts as a regulator of the blood pressure by increasing hypotension and decreating hypertension to the normal.

It would be interesting to know if the small increase of your blood pressure which brings it nearer to the physiological values of blood pressure at the age of 65 creates any phenomena of discomfort and is therefore inconveient to you. In this case, dosage should be reduced to injections of 272 cc novocain and a hypotensive medication can be associated. It is for your physicia to detide.

It has unfortunately been impossible to send you substance H<sub>3</sub> until present as it has only recently been industrialized and shall soon be available for export to other countries. We shall let you know as soon as it is possible to send you the required quantity for your treatment, in a very near future.

Please let me know by return airmail if you have resumed the treatment and your observations concerning your present condition.

With my very best wishes for Christmas and the coming New Year,

Sincerely yours,

Prof. Dr. Anna Aslan

Mac.

"Prof. Dr. C. I. PARHON" BUCUREȘTI

Str. Mînăstirea Căldărușani, 9 Căsuța poștală 2083 Telefon 17,76.85

Scris. dvs. nr.

data

Loc pentru stampila de intrare

Către:

Scris. ns. nr.

data

TRADUCERE DIN ENGLEZA

HONG KONG

Referitor la:

Am cumpărat lo cutii de novocaină HCl (2% 5 cc) dela Hoechst Chemical Products Ltd. din Germania de Vest, care se presupune că este aceeași cu novocaina Dvs. Totuși, s-au produs fenomene de hipertensiune după cîteva injecții. Tensiunea mea obișnuită este 85/125, ceeace pare să fie normal. După 5 injecții (5 cc fiecare), am descoperit că tensiunea arterială se ridicase la 90/140, astfel că am întrerupt timp de 5 zime, reîncepînd injecțiile atunci cînd tensiunea scăzuse la 90/122. Doza a fost atunci redusă la 3.5-4 cc, în funcție de tensiunea mea arterială (vezi lista alăturată). Am constatat că tensiunea s-a ridicat din nou după fiecare injecție, pentru a recădea la normal după o perioadă de două zile. Acest fenomen s-a produs de fiecare dată, pînă la terminarea primei serii de 12 injecții.

Am început a doua serie de injecții după o întrerupere de lo zile, donform instrucțiunilor. Inainte de începerea ei, tensiunea arterială era de 80/120 și s-a ridicat la 90/140 chiar în după amia-za primei injecții de 3.5 cc, revenind la normal a doua zi. A treia zi, am făcut a doua injecție de 4 cc și tensiunea a crescut la 90/130 în acea după amiază, fiind de 80/140 în a patra zi. Am făcut a treia injecție de 3.5 în a cincea zi. Tensiunea s-a ridicat la 92/148 în acea după amiază, rămănînd așa timp de 20 zile fără a mai face deloc injecții. Mi-am controlat tensiunea azi dimineață, era de 90/148.

Ceeace nu pot înțelege este faptul că în cursul primei serii de injecții hipertensiunea părea să fie un fenomen temporar, deoarece ea scădea în mod automat a treia zi după fiecare injecție. După a treia injecție din seria a doua, însă, tensiunea s-a ridicat și a rămas ridicată de atunci. De aceea, sînt nevoit să întrerup injec-

tiile pînă la primirea sfatului Dvs.

./.

"Prof. Dr. C. I. PARHON" BUCUREȘII

Str. Mînăstirea Căldărușani, 9 Căsuța poștală 2083 Telefon 17.76.86 Loc pentru stampila de intrare

Către:

| Scris. dvs. nr. | data |
|-----------------|------|
|                 |      |
|                 |      |
|                 |      |
| Scris. ns. nr.  | data |

- 2 -

#### Referitor la:

Mă întreb dacă acest fenomen de hipertensiunea er vreo legătură cu injecțiile. Ați putea să-mi răspundeți la următoarele întrebări:

- 1) Considerați acest fel de hipertensiunea după fiecare injecție de novocaină ca fiind un fenomen normal?
- 2) Sînt un om bătrîn,65 ani. Aveți experiențe clinice privind bărbați de vîrsta mea cu efecte similare de hipertensiune după injecții?
- 3) Tensiunea mea actuală este de 90/148. Este recomandabil să continu injecțiile? In acest caz, cînd să încetez în cazul cînd tensiunea ar continua să crească?
- 4) Este ceva de făcut pentru a menține tensiunea la nivelul său normal, pentru a putea continua injecțiile?
- 5) Este oare recomandabil să reduc dozele la 1 cc sau 2 cc și în acelaș timp să măresc frecvența injecțiilor? In acest caz, care ar fi frecvența?
- 6) Dacă tenesiunea rămînde ridicată chiar reducînd zoza la 1 cc, ce ar urma să fac ?
- 7) In prezent iau RAUWILOID (prospectul anexat) cu speranța ca tensiunea să scadă treptat. Dacă are efectul așteptat este oare recomandabil să continu să iau RAUWILOID pe cînd fac injecțiile de novocaină, timp de o perioadă prelungită?

Anexe:

## 康元製罐廠股份有限公司 China Can Co. (Hong Kong) Ltd.

"CHINACANCO"

TEL. 79391

YOUR REF. NO. OUR REF. NO.

TIN LITHOGRAPHERS

MECHANICAL TOYS



CAN MANUFACTURERS

VACUUM FLASKS

I. L. NO. 525, SHAUKIWAN ROAD HONG KONG

August 20, 1958. - O foace de tensiune - Praspette Rauwelfite

"DUO" "BENTLEY'S"

Professor Dr. Anna Aslan, Institutul De Geriatrie, Str. Minastirea Caldarusani 9. Bucuresti, Rumania.

Dear Professor Dr. Aslan,

I hope you have received my letter of July 15, and that the Novocain you promised to send me is already on its way to Hong Kong.

There is something I need your advice very much. I have bought 10 boxes of Novocain H'cl (2% 5cc.) from the Hoechst Chemical Products Ltd. of West Germany, which is supposed to be the same as your Novocain. However, hypertension occured to me after a few injections. My usual blood pressure is 85/125 which seemed to be quite normal. After 5 injections (5 cc. each), I discovered that my blood pressure has risen to 90/140, so I stopped for five days and resumed the injections when it dropped to 90/122; the dosage was then reduced to 3.5 or 4 cc. per injection depending on the condition of my blood pressure. (see the attached list). I found that my blood pressure rose again after each injection and dropped to normal after a period of two days. This phenomena happened every time till I finished my first course of 12 injections.

I began my second course of injections after an interval of ten days in accordance to your instruction, before I started my second course of injections, my blood pressure was 80/120, which rose to 90/140 the very afternoon of my first injection of 3.5 cc., again it dropped to normal in the following day. On the third day, I made my second injection of 4 cc. and my blood pressure rose to a height of 90/130 that afternoon, and it was 80/142 on the fourth day. I made my third injection of 3.5 cc. on the fifth day. It rose to 92/148 that very afternoon and remained that high for 20 days without further injections at all. I have my blood pressure checked this morning, it was 90/148.

What I can not understand is the fact that in the first course of my injections, hypertension seemed to be a temporary phenomena, for my blood pressure always dropped automatically on the third day after every injection. But after the third injection of the second course,

my blood pressure rose and remained high ever since. Therefore, I have to stop further injections until I have got your advice.

I wonder whether this phenomena of hypertension has anything to do with the injections. Would you be so kind as to advise me on the following:

- 1. Do you consider this kind of hypertension after each injection of Novocain a normal phenomena?
- 2: I am an old man of 65, do you have any clinical experience that men of my age will have the same effect of hypertension after the injections?
- 3. My blood pressure is 90/148 at present, is it advisable for me to continue the injections? If so, to what extent shall I stop if my blood pressure keeps on rising?
- 4. Is there anything I can do to keep my blood pressure at normal level so that I may continue my injections?
- 5. Is it advisable to reduce the dosage to 1 cc. or 2 cc. per injection and at the same time increase the frequencies of my injections? If so, what will be the frequencies?
- 6. If my blood pressure remains high even the dosage is reducing to 1 cc. per injection, then what shall I do?
- 7. I am now administering RAUWILOID (literature attached) with the hope that my blood pressure may drop gradually. If it does have the effect as I expected, is it advisable for me to administer RAUWILOID while I continue my injections of Novocain for a relatively long period?

I am extremely sorry to trouble you like this, and I shall be much obliged if you would kindly give me your advice as soon as possible.

Thank you very much and best regards to you,

Yours sincerely

W. K. Shang.

Encl. 1. Literature of RAUWILOID
2. A complete list of my blood pressure

| Date      | Blood pressure<br>before noon | Injections at noon time | Blood pressure afternoon | Remarks |
|-----------|-------------------------------|-------------------------|--------------------------|---------|
|           |                               | Titte to Charles        |                          | 0       |
| 1958.6.17 | 等。4F7155                      | (First Course)          |                          | 0       |
| 6.18      |                               |                         |                          |         |
| 6.19      | 85/125                        | 5 cc. (1)               |                          |         |
| 6.20      |                               |                         |                          |         |
| 6.21      |                               | 5 cc. (2)               |                          |         |
| 6.22      |                               |                         |                          |         |
| 6.23      |                               | 5 cc. (3)               |                          |         |
| 6.24      |                               |                         |                          |         |
| 6.25      |                               | 5 cc. (4)               |                          |         |
| 6.26      |                               |                         |                          | 0       |
| 6.27      |                               | 5 cc. (5)               |                          |         |
| 6.28      | 90/140                        |                         |                          |         |
| 6.29      |                               |                         |                          |         |
| 6.30      |                               | The second              |                          |         |
| 7.1       |                               |                         |                          |         |
| 7.2       | 80/132                        |                         |                          |         |
| 7.3       | 90/122                        | 4 cc. (6)               |                          |         |
| 7.4       |                               |                         |                          |         |
| 7.5       | 90/130                        | 3.5cc.(7)               |                          |         |
| 7.6       | 90/138                        | *                       |                          |         |
| 7.7       |                               |                         |                          | 0       |
| 7.8       | 80/120                        | 3.5cc.(8)               |                          |         |
| 7.9       | 80/130                        |                         |                          |         |
| 7.10      |                               | 3.5cc.(9)               |                          |         |
| 7.11      |                               |                         |                          | 4       |
| 7.12      | 88/118                        | 4 cc. (10)              |                          | 6       |
| 7.13      | 90/128                        |                         |                          |         |
| 7.14      |                               |                         |                          | .000    |
| 7.15      | 90/120                        | 4.5cc.(11)              |                          |         |
| 7.16      |                               |                         |                          | 0       |
| 7.17      | 90/130                        | 4 cc. (12)              |                          | 0       |
| 7.18      |                               |                         |                          |         |
| 7.19      |                               |                         |                          |         |

| Date Blood pressure noon time afternoon Remarkable Plood pressure Remarkable Plood pressure Remarkable Plood pressure Remarkable Plood pressure Remarkable Plood P |          |
|--|----------|
| 7.20 7.21 7.22 7.23 7.24 7.25 7.26 (Second Course) 7.27 80/120 3.5 cc. (1) 90/140 7.28 80/124 7.29 4 cc. (2) 90/130 7.30 80/142 88/148 7.31 88/136 3.5 cc. (3) 92/148 8.1 80/134 8.2 8.1 80/134 8.2 8.3 88/142 82/132 8.4 84/133 8.5 88/148  |          |
| 7.21 7.22 7.23 7.24 7.25 7.26 (Second Course) 7.27 80/120 5.5 cc. (1) 90/140 7.28 80/124 7.29 4 cc. (2) 90/130 7.30 80/142 88/148 7.31 88/136 3.5 cc. (3) 92/148 8.1 80/134 nister 7 8.2 8.3 88/142 82/132 8.4 84/138 8.5 88/148   | rks      |
| 7.21 7.22 7.25 7.26 (Second Course) 7.27 80/120 3.5 cc. (1) 90/140 7.28 80/124 7.29 4 cc. (2) 90/130 7.30 80/142 88/148 7.31 88/136 3.5 cc. (3) 92/148 8.1 80/134 nister 7 8.2 8.3 88/142 82/132 8.4 84/138 8.5 88/148   |          |
| 7.22 7.25 7.24 7.25 7.26 (Second Course) 7.27 80/120 3.5 ec. (1) 90/140 7.28 80/124  7.29 4 ec. (2) 90/130 7.30 80/142 88/148 7.31 88/136 3.5 ec. (3) 92/148 8.1 80/134 Right Nister 1 8.2 8.3 88/142 82/152 8.4 84/138 8.5 88/148   |          |
| 7.23 7.24 7.25 7.26 (Second Course) 7.27 80/120 3.5 cc. (1) 90/140 7.28 80/124 7.29 4 cc. (2) 90/130 7.30 80/142 88/148 7.31 88/136 3.5 cc. (3) 92/148 8.1 80/134 Right Nister 7 8.2 8.3 88/142 82/132 8.4 84/138 8.5 88/148   |          |
| 7.24 7.25  7.26 (Second Course)  7.27 80/120 3.5 ec. (1) 90/140  7.28 80/124  7.29 4 ec. (2) 90/130  7.30 80/142 88/148  7.31 88/136 3.5 ec. (3) 92/148  8.1 80/134 82/132  8.2 82/132  8.3 88/142 82/132  8.4 84/138  8.5 88/148  |          |
| 7.25  7.26 (Second Course)  7.27 80/120 3.5 cc. (1) 90/140  7.28 80/124  (7.29 4 cc. (2) 90/130  7.30 80/142 88/148  7.31 88/136 3.5 cc. (3) 92/148  8.1 80/134 Right  8.2  8.3 88/142 82/132  8.4 84/138  8.5 88/148  |          |
| 7.26 (Second Course)  7.27 80/120 3.5 cc. (1) 90/140  7.28 80/124  7.29 4 cc. (2) 90/130  7.30 80/142 88/148  7.31 88/136 3.5 cc. (3) 92/148  8.1 80/134 Beginn nister 7  8.2  8.3 88/142 82/132  8.4 84/138  8.5 88/148   |          |
| 7.27 80/120 3.5 ec. (1) 90/140 7.28 80/124  7.29 4 ec. (2) 90/130 7.30 80/142 88/148  7.31 88/136 3.5 ec. (3) 92/148  8.1 80/134 82/132  8.2 82/132  8.3 88/142 82/132  8.4 84/138  8.5 88/148   |          |
| 7.28 80/124  7.29 4 cc. (2) 90/130  7.30 80/142 88/148  7.31 88/136 3.5 cc. (3) 92/148  8.1 80/134 nipler 7  8.2  8.3 88/142 82/132  8.4 84/138  8.5 88/148  |          |
| 7.29 4 cc. (2) 90/130 7.30 80/142 88/148 7.31 88/136 3.5 cc. (3) 92/148 8.1 80/134 Beginnister 7 8.2 8.3 88/142 82/132 8.4 84/138 8.5 88/148   |          |
| 7.30 80/142 88/148  7.31 88/136 3.5 cc. (3) 92/148  8.1 80/134 nister 7  8.2  8.3 88/142 82/132  8.4 84/138  8.5 88/148  |          |
| 7.31 88/136 3.5 cc. (3) 92/148 8.1 80/134 Begin 8.2 8.3 88/142 82/132 8.4 84/138 8.5 88/148  |          |
| 8.1 80/134 Begin<br>8.2 88/142 82/132<br>8.4 84/138<br>8.5 88/148  |          |
| 8.2<br>8.3 88/142 82/132<br>8.4 84/138<br>8.5 88/148   | to adm   |
| 8.3 88/142 82/132<br>8.4 84/138<br>8.5 88/148  | RAUWILDI |
| 8.4 84/138<br>8.5 88/148   |          |
| 8.5 88/148   |          |
|  |          |
| 0.6  |          |
| 0.0  |          |
| 8.7  |          |
| 8.8 90/150   |          |
| 8.9 86/144   |          |
| 8.10 90/150  |          |
| 8.11 82/140  |          |
| 8.12 82/142  |          |
| 8.13 80/138  |          |
| 8.14 80/144  |          |
| 8.15 72/122  |          |
| 8.16 80/138  |          |
| 8.17 90/148 82/140   |          |
| 8.18   |          |
| 8.19   |          |
| 8.20 90/148  |          |
| 8.21 W. K. S   | to a     |

Hougkoug Bucharest, August 16 1958

Mr. W. K. Shang China Can Co. Ltd. I.L.No.525 Shaukiwan Road Hong Kong

7716/2.89

Dear Mr. Shang,

I am sorry that you were unable to give me an European address for the sending of your phials but shall follow your indication and arrange for the package to be mailed directly to Hong Kong, at the beginning of September. You shall receive thirty-six phials, sufficient for a four-month treatment. After sending me your physician's observations, we shall then arrange for a future sending.

With best regards,

Sincerely yours,

Prof. Dr. Anna Aslan

alun

### 康元製罐廠股份有限公司 China Can Co. (Hong Kong) Ltd.

'CHINACANCO"

TEL. 79391

TIN LITHOGRAPHERS

MECHANICAL TOYS



CAN MANUFACTURERS

CODES USED: "DUO"

BENTLEY'S"

VACUUM FLASKS

I. L. NO. 525, SHAUKIWAN ROAD HONG KONG

15th July, 1958.

YOUR REF. NO. OUR REF. NO.

> Professor Dr. Anna Aslan, Institutul De Geriatrie, Str. Minastirea Caldarusani 9, BUCURESTI, RUMANIA.

Dear Professor Dr. Aslan,

Thank you very much for your letter of June 16, 1958 in which you have answered all of my queries regarding Novocain. I am deeply grateful to you for your kind gesture.

I fully agree with you that you would send the said medicine directly to me instead of going through the Chinese Embassy. Nevertheless, I would like to state that I am unable to give you any address in Europe as you have suggested in your letter under reply because I have no friends there. Therefore, will you please send the parcel directly to Hong Kong by ordinary mail. Meanwhile, please inform me of the amount of postal charges due, so that I can remit the sum to you.

I thank you again for your kind assistance. Whenever opportunity arises that I may reciprocate you in one way or another, I shall only be too glad to do so.

With best regards,

Yours sincerely.

W. K. Shang W. K. Shang

#### MINISTERUL AFACERILOR EXTERNE Nr.52.312



București, 3. VII. 1958

- copie -

Către

MINISTERUL SANATATII SI PREVEDERILOR BOCIALE Direcția Relații Externe

O doctoriță de la Spitalul Pekin s-a adresat Ambasadei RPR cu cererea să i se trimită materiale privind realizările, metodele de lucru, etc. ale Prof. Ana Aslanç Aceste materiale ar putea fi în limba rusă sau romînă, putînd cuprinde chiar lucrări publicate în reviste de specialitate.

Vă rugăm ca, în măsura posibilității, să ne trimiteți asemenea materiale, pentru a le expedia ambasadei noastre din Pekin.

DIRECTOR, ss/ P. Babuci

pt. conformitate,

venila en adres MAPS 34/840. Rasp. en edr. us. 3400/14. vu.

7365

Mr. W. K. Shang China Can Co. Ltd. I.L. No. 525 Shaukiwan Rd. Hong Kong

Dear Mr. Shang,

I have received your letter but was unable to answer earlier having been away from Rumania until recently.

In answer to your questions I inform you that the novocaine treatment can be administered in the mentioned case. It is probable that the insensibility will improve during the treatment. As regards administration, this has not been done orally. The treatment consists in a series of intramuscular injections — as in the directions we sent you.

It has been mistakenly understood that the effect of novocaine treatment is felt only after 5-6 years. Improvement generally occurs even after the first series of injections and the effect, once obtained, remains sustained. The duration of the treatment varies from case to case but it should be foreseen that eight-nine series of injections be taken yearly.

We have received nothing in your behald and on the other hand it could not be agreed upon to send you the phials through the Chinese Embassy. We would willingly send them directly, but can not send an airmail parcel owing to export regulations. If possible, send us an address in Europe where the parcel could be sent by ordinary mail and from where it could be re-mailed to you by air parcel. It would reach you sooner. Failing this possibility, we shall send the parcel directly to Nong Kong. Please write us in this respect.

With best regards,

Sincerely yours,

Prof. Dr. Anna Aslan
Director of the "C.I. Parhon" Institute
of Geriatrics

5P. (100S) 38-3. K. H.

## 康元製罐廠股份有限公司 China Can Co. (Hong Kong) Ltd.

"CHINACANCO"

TEL. 79391

TIN LITHOGRAPHERS

MECHANICAL TOYS



CAN MANUFACTURERS

"DUO"

VACUUM FLASKS

I. L. NO. 525, SHAUKIWAN ROAD HONG KONG

YOUR REF. NO.

15th April, 1958.

Professor Dr. Anna Aslan, Ministerul, Sanatatii Si Prevederilor Sociale, Institutul De Geriatrie, Str. M. Caldarusani Nr. 9, Bucuresti, Rumania.

Dear Professor Dr. Aslan,

In reference to all the necessary instructions as well as literature concerning the use of Novocain with which you have so kindly furnish us, there are a few queries which I would like to have your advice.

- 1. I had a cerebral thrombosis in November of 1956, and I wish to know whether Novocain can be used by a patient like me?
- 2. My right arm and right cheek have become somewhat insensible since the cerebral thrombosis. Are there any remedies for recovering my sensibleness?
- 3. Is there any method for curing and preventing the reoccurrence of cerebral thrombosis?
- 4. Can we administer Novocain orally instead of injection? If so, what are the usual doses for such administration?
- 5. We note that the effect of Novocain treatment will not be felt until after 5/6 years. We wish to know however that in order to obtain the sustained effect, is it necessary to continue the treatment after this period and if so, would you advise a modified treatment or that the identical treatment may be continued.

In your letter of January 10, you mentioned that

you would send certain amount of Novocain to me through the Chinese Embassy if it can be agreed upon. Since then, I have sent two telegrams together with a remittance of £50 for payment of air parcel for the said Novocain to the Chinese Embassy, but, to my deep regret, I have not heard anything from them up to now. If there is no inconvenience on your part, will you kindly look into this matter for me and make a check with the Chinese Embassy, so that I can receive and start to use the remedy as soon as possible.

Your advice on the above mentioned points and your assistance in making me have the parcel of Novocain will be greatly appreciated. As a matter of fact, I hate to bother you like that, but since there is no alternative, I have to do it. I hope you will forgive me for giving you so much trouble.

Thank you very much and looking forward to hearing from you.

Yours sincerely,

W. K. Shang.

NISTERUL PREVEDERILOR SOCIALE STITUTUL DE GERIATRIE "PROF. DR. C. I. PARHON"

BUCURESTI STR. M. CĂLDĂRUŞANI Nr. 9

TEL 7.2441 K. Shang China Can Co. Ltd. I.L. No. 525 Shaukiwan Rd. Hong Kong

Dear Mr. Shang,

5964

In answer to your letter of February 26, I inform you that we shall contact the Chinese Embassy in Bucharest and request that a sending of 36 ampoules of solution Hz be forwarded to you in Hong-Kong. We shall let you knwo as soon as this arrangement will have been possible.

> With best regards, I remain, Sincerely yours,

> > Prof. Dr. Anna Aslan Director of the "C.I. Parhon" Institute of Geriatrics.

> > > My

Mr.W. K. Shang c/o China Can Co.(H.K.) Ltd., I.L. No.525 Shaukiwan Road, Hong Kong

Dear Mr. Shang,

By the courtesy of Mr. Din Man, attaché of the "New China" Agency and correspondent of "Jenminjibao" in Bucharest, I have received your letter of November 30.-

In answer to your questions concerning our treatment:

- 1.- Dosage : 5 cc.- Percentage: 2 %.- pH: 3.5-4.-
- 2.- No other side effects except allergic phenomena or giddiness. Should allergia occur, treatment must be stopped. Intolerance: 1 per thousand.
- 3. Deep subcutaneous or intramuscular shots .-
- 4.- Precautionary test before starting treatment, as mentioned in included instructions.
- 5.- Can be applied to old persons suffering of diabetes .-
- 6.- Literature included herewith -copy of reprint from "Medizi-nische Klinik".-
- 7.- We could send you necessary quantity of H, through Chinese Embassy, if it can be agreed upon. This quantity would be sufficient for one person.

Our product named H<sub>Z</sub> is at present exclusively used by the Institute of defiatrics of Bucharest and is not yet commercialized. Small quantities are dispatched abroad to various institutions or physicians, at their request, or to private persons who wish to follow this treatment. A 2 percent solution or novocain can be used as a satisfactory substitute and with practically similar results.

With my very best regards, I remain,

Sinverely yours, .

Prof.Dr. Anna Aslan Director of the Institute of Geriatrics "C.I.Parhon"

Laur

W. K. Shang, c/o China Can Co. (H.K.) Ltd., I.L. No. 525 Shaukiwan Road, Hong Kong. 30th November, 1957.

Dear Professor,

I have learned from the People's Daily of the People's Republic of China that you have recently discovered that Novocain may also be used to rejuvenize aged persons. Being an aged man myself, I am greatly interested in your discovery and should be much obliged if you would kindly furnish the following information:-

What are the dosage, percentage, pH value of the said Novocain?

Are there any side effects?

Is it for subcutaneous or intramuscular injection?

Is it applicable to old persons in general including those suffering from diabetes?

Should any precautions be taken before injection? Under What conditions the use of Novocain would be undesirable what condition or forbidden?

Clinical Report and Literature in English or Russian.

7. Through what channel can I have a constant supply of Novocain of from your country?

I look forward to receiving your early reply with

Yours truly,

W. K. Shang

interest and remain,

Mr.W. K. Shang c/o China Can Co.(H.K.) Ltd., I.L. No.525 Shaukiwan Road, Hong Kong

Dear Mr. Shang,

By the courtesy of Mr. Din Man, attaché of the "New China" Agency and correspondent of "Jenminjibao" in Bucharest, I have received your letter of November 30.-

In answer to your questions concerning our treatment:

- 1.- Dosage : 5 cc.- Percentage: 2 %.- pH: 3.5-4.-
- 2.- No other side effects except allergic phenomena or giddiness. Should allergia occur, treatment must be stopped. Intolerance: 1 per thousand.
- 3. Peep subcutaneous or intramuscular shots. -
- 4.- Precautionary test before starting treatment, as mentioned in included instructions.
- 5. Can be applied to old persons suffering of diabetes. -
- 6.- Literature included herewith -copy of reprint from "Medizi-nische Klinik".-
- 7.- We could send you necessary quantity of H, through Chinese Embassy, if it can be agreed upon. This quantity would be sufficient for one person.

Our product named H<sub>3</sub> is at present exclusively used by the Institute of 'eriatrics of Bucharest and is not yet commercialized. Small quantities are dispatched abroad to various institutions or physicians, at their request, or to private persons who wish to follow this treatment. A 2 percent solution o novocain can be used as a satisfactory substitute and with practically similar results.

With my very best regards, I remain,


Sinverely yours,

Prof. Dr. Anna Aslan
Director of the Institute of Geriatrics
"C.I. Parhon"

Systems land Way here Seen Jans do i In the lass seen seen do in the lass is a last of the Jans here here working a line here here for Jan Bab of the last of here in Bapes a last of here in Bapes a last of here in Bab of here in the last of the here is the here in the last of the here is the here in the last of the last of the here is the last of the last of the here is the last of the l Sub an sin working let in here is cale dail of smaring.

I have to cale dail of smaring.

I have to discress to structure in along the solution of share in the continue of the sharing of the continue of the sharing of the continue of the sharing nless, due 6 a lood bourinkin is occurs a no take tresponent in a source with the straining in a source with the straining of the straining of the strain of t heading with frank is the said in the said astrice is the wording of the wording in from the said and the wording in factor in from said and astricted in from said and as the wording in from said in the wording in from the wording in from the said and as the said with substruction of the said with substruction and the said with substruction and the said with substructions. year a spruin unace termedo. unta alaxos devosis or, some me demojitis oblitions. If that is more Bun Topass v 1012 Smillin



## 司公限有業高商作合際國

1128

## INTERNATIONAL CO-OPERATIVE TRADING SOCIETY, LTD.

CABLE CODE: ACME.

J. M. TAN.
M. C. TANG
MELVIN J. FOX
L. C. SMITH.

P. O. BOX 1474 HONG KONG

HONG KONG 28th. April, 1959

Professor Anna Aslan, Institute for Geriatrics, Bucharest, Rumania.

Dear Professor,

We were very much interested in reading recently some articles in our local press about the treatment of "H.3" on patients in your Institute and its spectacular results.

We would be glad if you could send us, by air-mail, some literature giving more information about "H.3" - its treatment and application to various types of ailments for which it is particularly suitable and effective, etc..

We would also be glad to know if it is possible to have "H.3" sent here, by air-mail, and the injections carried out here under local medical supervision?

Please let us know the cost of airmail postage incurred by you so that we can repay you for it?

Yours faithfully,

TRADING SOCIETY, LTD.

TIRECTOR.

HONG-KONG Vor sa vina

Hous Kons

ma sa mia -

July 31st, 1979

No.3510

Mr. Harry W. Heikenen American Consulate General 26 Garden Road HONG KONG

Dear Mr. Heikenen,

I am glad to hear that you have been taking Gerovital pills for several years, and it will be a pleasure to meet you here in September.

Enclosed herewith I am sending you the required information.

Please, be so kind and let us know the exact date of your arrival.

Looking forward to see you here, I remain

Yours sincerely

Acad. Prof. Ana Aslan, M.D., D.Sc.

Hong-Kong

American Consultate General 26 Garden Road Hong Kong July 14, 1979

The Geriatrics Institute Bucharest, Romania

Gentlemen:

For several years I have beentaking Gerovital pills. However, I have just found out that I shall be traveling through Europe in September, and itoccurred to me that it might be worthwhile to stop at your Institute, and take a treatment for a few days.

There is not a Consulate for Romania in Hong Kong, so I am writing to you directly.

I am saxty years old and ingood health. At the same time, I do think your pills have done good in terms of vitality, and if you think a treatment at the intitute is advisable for a period of 5-7 days, I should like to do so. I should be passing through Bucharest about Septebmer 10 or 11, and would like to know:

- a) is it possible to take a treatment from , say, Sept 11-16 or thereabouts?
- b) What such a treatment would cost, and if reservations are necessary.

I would appreciate a reply to the addressabove in hong Kong. I plan to depart here about August 26. Thank you.

Sincerely yours,

Harry W. Heikenen American Consul Vra sa vina

July 18th, 1979

No.3352

Mrs. Joanna JACKSON Christian Campe c/o Daryl Ries Hong Kong Arts Centre Harbour Road HONG KONG

Dear Mrs. Jackson,

In answer to your letter, I am sending you enclosed herewith a leaflet regarding the geriatric treatment in Romania. If you want to come to one of our clinics in Bucharest, please let un know in time by a cable the exact date of your arrival and the place you want to stay in order to make a reservation.

Waiting for your reply, I remain

Yours sincerely,

Acad. Prof. Ana Aslan, M.D., D. Sc.

they tay Vrea so while septi JOANNA JACKSON Christian Campe Instituted National as German 8. To DARY! Ries IN RARE W. 3352 Hong Kong Arts (entre 1979 una 07 zuna 14 HARbour Road Hong Kong Hslan Institute Bucharest, Roumania June 29, 1979 Dear Dr. Aslan, We will be returning to Europe on the Rumanian airline From Bangkok wa Bucharest in September, your institute has been recommended by friends including Dr. Dan Larremore and Paco Dufo, and we would like to come there if possible sometime in September. Would It be possible to Let us know if we could come there and approximately the costs to stay there and for physical examinations and tests, etc. Also about the institute and i treatment. We are Joanna Jackson V.S. CITIZEN passport 40. 22067018 born August 22,1948

and Christian Campe

West German Citizen

passiport no. E 1451566

born October 13, 1946

We-will appreciate any information

and to know if it will be

and to come to the institute

at that time. Thank you.

Sincerely yours,

Deanna Jackson

5393 Lang 22 Dec 70 Hong Kang Dear Professor aslan: Thank you for your warm letter which arrived a sew days ago, my departure from Hong Kang has been delayed so your letter did reach me in time. I will contact my travel agent here to give out about the CARPAJI arrangements It is not necessary for me to have the newer, der luxe accomodations, I would prefer the place that can give the wast thorough Clinic for treatment, I will accept what arrangements CARPATI CONFIRMS. I will be unable to leak here until after the girst of January 1971 and I will write you when the exact date can be that Set so you will know from the travel agency. your letter was delayed in coming os it was registered. AERO GRAMMES such as "his the - not registered will arrive quicken and cost less to Send. Very touly, Paullarg

AIRMAIL CORRED AERO

AEROGO AMME

Roy Ama Aslan Mo, soc.
Zottentul de genatrie
BUCULESTE
POMANIA

If anything is enclosed or attached, Airmeil Letter Postage Rates apply

Second Fold

First Fold

AND ADDRESS GNO BOD M3337 (16 MANUAL)

AND ADDRESS GNO BOD M337 (16 MANUAL)

AND ADDRESS GNO BOD

Issued by the N.Z. Post Office for posting in New Zealand to overseas addresses, and approved by the Australian Postmaster-General for acceptance as Aerogramme No. 44. N.Z. Post Office Authority (No. 4) P. 6 T. 1952/10 (1)

were no vous

4948 9-XII

Mr. Paul Lang G.P.O. Box 14337 Hong Kong

Dear Mr. Lang.

Answering your letter of November 18 we inform you that you can come for treatment in December if this letter will reach you in time.

A stay of two weeks would be necessary for thorough medical examinations, laboratory tests and a period of treat-ment under our direct control. The treatment has to be continued afterwards according to perscriptions.

You can be hospitalzed either in the new clinic Otopeni at 17 kms from Bucharest, in de-luxe conditions, either at the Institute. At Otopeni clinic the daily cost is from \$17.- to \$25.- according to accommodation conditions. The National Tourist Office "Carpați", Central Agency, of Bucharest, 7, Blvd Magheru, could make all arrangements for your travel and stay here.

Hoping you will let us know what you decide, I remain

Yours sincerely,

Prof. Anna Aslan MD, DSc.

/ faire

4948 IN FLIGHT WITH TWA Mexico Citys
18 Nov 70 I am enterested in GEROVITAL H-3. (PROCAINE) treatment gor arthritis and Bursitis. Iam 43 but have been troubled since Iwas 25 (18 years) and at is now intergening with my work as Jo initial treatment and return sor repeat treatments. Can pay in U.S. Dollars, for admission to your institute or a similar place to me at: GPO-Box 14337 Hong Kong, I could arrive in Buchaved in middle of December or later at your Very truly yours, Convenience. PAUL LANG